## **Version Info (Release Notes)**

## **Current Version**

Receives continuous updates and new features. Update interval frequently.

| Version:      | 2024.2.192  |         |           |          |            | ı Server          |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2024-04-19  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | <ul> <li>Import 3D:         <ul> <li>NX 2312</li> <li>Parasolid 36.1</li> <li>Rhino3D 8</li> </ul> </li> <li>Import 2D:         <ul> <li>CATIA V5-6R2024 (R34)</li> <li>NX 2312 Series (until 2312.4000)</li> </ul> </li> <li>Alternative JT import: support of non-tessellated PMIs #1333</li> <li>Transformation: move and rotate with increments #771</li> <li>Section: move and rotate cutting plane with increments #771</li> <li>Point-to-point (wire) can now be used on cutting plane #1212</li> <li>Color tools: color parts or faces randomly #1270</li> <li>Overwrite and reset colors were moved to color tools #1270</li> <li>VisShare: direct save for non-private projects #1309</li> <li>VisShare: new user role: Manager #1310</li> <li>VisShare: improvements of data upload</li> </ul> |         |           |          | •          |                   |
| Fixes:        | <ul> <li>NX import: show geometries #615</li> <li>JT import: load colors correctly #1247</li> <li>BCF Views: find ID in attributes #1371</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Render offset lines when corresponding geometry is not visible #1364</li> <li>Offline license error #1349</li> </ul>   | •       | •         | •        | •          |                   |

| Version:      | 2024.2.192  |         |           |          |            | Server     |
|---------------|---|---------|-----------|----------|------------|------------|
| Release date: | 2024-04-19  | Desktop | WebViewer | VisShare | VR-Edition | Automation |
|               | <ul> <li>VSLM: use Windows groups within JSON groups #1361</li> </ul> | •       | •         | •        | •          | •          |
|               | <ul> <li>VSLM: fix client communication issue #1378</li> </ul>        | •       | •         | •        | •          | •          |
|               | <ul><li>Setup without SMTP #1383</li></ul>                            |         |           | •        |            |            |

## **Previous Version**

| Version: Release date: | 2024.1.166<br>2024-03-12  | top     | WebViewer | nare     | VR-Edition | Automation Server |
|------------------------|---|---------|-----------|----------|------------|-------------------|
|                        |   | Desktop | Web       | VisShare | VR-E       | Auto              |
|                        |   |         |           |          |            |                   |
| New:                   | <ul><li>Import 3D:</li><li>SolidWorks 2024</li></ul>  | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Alternative JT import: support of views and tessellated<br/>PMIs #1207</li> </ul>              | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Add field to ribbon to search online help center</li> </ul>                                    | •       | •         |          |            |                   |
|                        | <ul> <li>Line width setting for contour #1266</li> </ul>  | •       | •         | •        | •          | •                 |
|                        | Korean language supported again   | •       | •         |          |            |                   |
|                        | <ul> <li>VS License Manager: support of wildcards for privilige<br/>rule configuration #1293</li> </ul> | •       | •         | •        | •          | •                 |
| Fixes:                 | <ul> <li>Alternative JT import: multiple loading errors #1207</li> </ul>                                | •       | •         | •        | •          | •                 |
|                        | <ul> <li>JT Assembly loads correctly #779</li> </ul>  | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Improve circle detection #1304</li> </ul>  | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Setup: check for correct supported Windows version<br/>#1315</li> </ul>                        | •       |           |          |            |                   |
|                        | <ul> <li>Start up: race conditions when using LMX License<br/>Manager #1318</li> </ul>                  | •       |           |          |            |                   |
|                        | <ul> <li>3DPDF with import dialog: choose starting scene with<br/>2D/3D button</li> </ul>               | •       | •         | •        |            |                   |
|                        | <ul><li>XML-API: GetNodeProperties #1283</li></ul>  | •       | •         | •        |            | •                 |
|                        | <ul> <li>XML-API: ImportVSXMLToNode sets correct color<br/>#1300</li> </ul>                             | •       | •         | •        |            | •                 |
|                        | <ul> <li>Correct cleanup for exit codes #1298</li> </ul>  |         |           |          |            | •                 |
|                        | <ul> <li>VS License Manager: Windows Usergroup Timeout<br/>#1313</li> </ul>                             | •       | •         | •        | •          | •                 |
|                        | <ul> <li>VS License Manager: ServerConfig.json no longer<br/>overwrites itself on updates</li> </ul>    | •       | •         | •        | •          | •                 |
|                        |   |         |           |          |            |                   |

## **Full Version History**

| Version:      | 2024.2.192  |         | /er       |          | no         | Automation Server |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2024-04-19  | Desktop | WebViewer | VisShare | VR-Edition | Automati          |
|               |   |         |           |          |            |                   |
| New:          | <ul><li>Import 3D:</li><li>NX 2312</li><li>Parasolid 36.1</li><li>Rhino3D 8</li></ul>                   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Import 2D:</li> <li>CATIA V5-6R2024 (R34)</li> <li>NX 2312 Series (until 2312.4000)</li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>Alternative JT import: support of non-tessellated<br/>PMIs #1333</li> </ul>                    | •       | •         | •        | •          | •                 |
|               | <ul> <li>Transformation: move and rotate with increments<br/>#771</li> </ul>                            | •       | •         | •        |            | •                 |
|               | <ul> <li>Section: move and rotate cutting plane with<br/>increments #771</li> </ul>                     | •       | •         | •        |            | •                 |
|               | <ul> <li>Point-to-point (wire) can now be used on cutting<br/>plane #1212</li> </ul>                    | •       | •         | •        | •          | •                 |
|               | <ul> <li>Color tools: color parts or faces randomly #1270</li> </ul>                                    | •       | •         | •        | •          | •                 |
|               | <ul> <li>Overwrite and reset colors were moved to color<br/>tools #1270</li> </ul>                      | •       | •         | •        | •          | •                 |
|               | <ul> <li>VisShare: direct save for non-private projects #1309</li> </ul>                                |         |           | •        |            |                   |
|               | <ul> <li>VisShare: new user role: Manager #1310</li> </ul>  |         |           | •        |            |                   |
|               | VisShare: improvements of data upload   |         |           | •        |            |                   |
| Fixes:        | <ul> <li>NX import: show geometries #615</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>JT import: load colors correctly #1247</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>BCF Views: find ID in attributes #1371</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Render offset lines when corresponding geometry is<br/>not visible #1364</li> </ul>            | •       | •         | •        | •          | •                 |
|               | <ul> <li>Offline license error #1349</li> </ul>   |         | •         |          |            |                   |
|               | <ul> <li>VSLM: use Windows groups within JSON groups<br/>#1361</li> </ul>                               | •       | •         | •        | •          | •                 |
|               |   |         |           |          |            |                   |

| Version:      | 2024.2.192  |         | /er       |          | UC         | Automation Server |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2024-04-19  | Desktop | WebViewer | VisShare | VR-Edition | Automati          |
|               | <ul> <li>VSLM: fix client communication issue #1378</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Setup without SMTP #1383</li> </ul>  |         |           | •        |            |                   |
| Version:      | 2024.1.166  |         |           |          |            | erver             |
| Release date: | 2024-03-12  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               |   |         |           |          |            |                   |
| New:          | <ul><li>Import 3D:</li><li>SolidWorks 2024</li></ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Alternative JT import: support of views and<br/>tessellated PMIs #1207</li> </ul>              | •       | •         | •        | •          | •                 |
|               | <ul> <li>Add field to ribbon to search online help center</li> </ul>                                    | •       | •         |          |            |                   |
|               | <ul> <li>Line width setting for contour #1266</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Korean language supported again</li> </ul>   | •       | •         |          |            |                   |
|               | <ul> <li>VS License Manager: support of wildcards for<br/>privilige rule configuration #1293</li> </ul> | •       | •         | •        | •          | •                 |
| Fixes:        | <ul> <li>Alternative JT import: multiple loading errors #1207</li> </ul>                                | •       | •         | •        | •          | •                 |
|               | <ul> <li>JT Assembly loads correctly #779</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Improve circle detection #1304</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Setup: check for correct supported Windows version<br/>#1315</li> </ul>                        | •       |           |          |            |                   |
|               | <ul> <li>Start up: race conditions when using LMX License<br/>Manager #1318</li> </ul>                  | •       |           |          |            |                   |
|               | <ul> <li>3DPDF with import dialog: choose starting scene<br/>with 2D/3D button</li> </ul>               | •       | •         | •        |            |                   |
|               | <ul> <li>XML-API: GetNodeProperties #1283</li> </ul>  | •       | •         | •        |            | •                 |
|               | <ul> <li>XML-API: ImportVSXMLToNode sets correct color<br/>#1300</li> </ul>                             | •       | •         | •        |            | •                 |
|               | <ul> <li>Correct cleanup for exit codes #1298</li> </ul>  |         |           |          |            | •                 |
|               |   |         |           |          |            |                   |

| Version:<br>Release date: | 2024.1.166<br>2024-03-12  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|---------------------------|---|---------|-----------|----------|------------|-------------------|
|                           | <ul> <li>VS License Manager: Windows Usergroup Timeout #1313</li> <li>VS License Manager: ServerConfig.json no longer overwrites itself on updates</li> </ul> | •       | •         | •        | •          | •                 |
| Version:<br>Release date: | 2024.0.444 2024-02-09   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |

Updated system requirements: Windows 10 / Windows Server 2016

Fixes: • BOM setting "Configure attribute display" #1282

Import setting "Additional search paths" #1282

WV: Visualization settings for 2D #1288

•

WV: Skybox selection #1277

• KAS: Generate screenshot exit code #1298

**Version:** 2024.0.438

WebViewer VisShare VR-Edition Automation Server

**Release date:** 2024-01-26

Updated system requirements: Windows 10 / Windows Server 2016

New: • Import 3D:

o Solid Edge 2024

o Parasolid 36.0

Import 2D:

o Solid Edge 2024

o Solidworks 2024

| Version:      | 2024.0.438  | 0       | wer       | Ф        | ion        | Automation Server |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2024-01-26  | Desktop | WebViewel | VisShare | VR-Edition | Automa            |
|               | <ul><li>NX 2306 Series (until 2306.7000)</li><li>CATIA V6 R2024x</li></ul>  |         |           |          |            |                   |
|               | <ul><li>Export 2D:</li><li>DXF R32 (AutoCAD 2018)</li></ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>New icons for all products and 3DVS files</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>JT import: alternative import per setting for tests<br/>available #1207</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>3DVS export: option to save resources (skyboxes,<br/>backgrounds, materials, glare effects)</li> </ul>   | •       | •         | •        | •          | •                 |
|               | ■ IFC import: performance improvements #942 #1164   | •       | •         | •        | •          | •                 |
|               | <ul> <li>STL, OBJ and E57 import: settings added to split<br/>huge files on import, helps with performance and<br/>enables to load files that would be too big otherwise<br/>#1090 #1170</li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul><li>WV: improved quality of displayed images #1108</li></ul>  |         | •         | •        |            |                   |
|               | <ul> <li>Section: slice geometries, can be applied several<br/>times (does not equal multi-cut) #1098</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul><li>Compare: added comparison for PMIs #970</li></ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Selected faces can be merged #1180</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>KAS can now be separately installed</li> </ul>   |         |           |          |            | •                 |
|               | <ul> <li>PMIs: support of multiple colors #734</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Materials: improve patterned texture application<br/>#1151</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul><li>Mouse setting for fit-all function #962</li></ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Always show rotation point #960</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>XML-API pane moved from Output pane to Tool<br/>ribbon, response output added #1103</li> </ul>   | •       |           |          |            |                   |
|               | <ul> <li>XML-API: functions to color nodes or faces randomly<br/># 1221</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>VS License Manager: supports upgrade-switches of<br/>license features now</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>VS License Manager: license monitor improvements<br/># 1186</li> </ul>   | •       | •         | •        | •          | •                 |
|               |   |         |           |          |            |                   |

| Version:      | 2024.0.438  |         | <u></u>   |          | _          | in Server         |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2024-01-26  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| Fixes:        | <ul> <li>Correct installation behavior for closing running applications #1204</li> <li>Improve startup behavior of Desktop version #1211</li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>WV: initialize 2DAdvanced feature correctly #1255</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>SolidEdge import: correct subassembly visibility<br/>#925</li> </ul>   | •       | •         | •        | •          | •                 |
|               | STEP import: load tessellation correctly #1023  | •       | •         | •        | •          | •                 |
|               | NX import: load node visibility correctly #1193   | •       | •         | •        | •          | •                 |
|               | <ul> <li>OBJ import: load textures in edge case correctly<br/>#1170</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Aligning: Move: enable functions to work with a<br/>boundary condition if activated #1235</li> </ul>                                       | •       | •         | •        | •          | •                 |
|               | • Structure tree: moving nodes lost file paths #1214  | •       | •         | •        | •          | •                 |
|               | <ul> <li>WV: Structure tree: multi-selection with SHIFT in a<br/>large tree #1234</li> </ul>  |         | •         | •        |            |                   |
|               | Clear CustomIDs #1229   | •       | •         | •        |            | •                 |
| Version:      | 2023.7.197  |         |           |          |            | n Server          |
| Release date: | 2023-11-17  | Desktop | WebViewer | VisShare | VR-Edition | Automation S      |
|               |   |         |           |          |            |                   |
| New:          | <ul><li>Import 3D:</li><li>Revit 2024</li></ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Solid Edge: support of Assembly Features #829</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Center handle of translation transformations (move)<br/>#1087</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>Reset geometries to initial color</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>Overwrite initial color of geometries</li> </ul>   | •       | •         | •        |            | •                 |
|               |   |         |           |          |            |                   |
|               | <ul> <li>BOM: new creation mode: Structure tree: lists all root<br/>and PO nodes #716</li> </ul>  |         |           | •        |            |                   |
|               |   | •       |           |          |            |                   |

| Version:      | 2023.7.197   | dı      | ewer      | ē        | tion       | Automation Server |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2023-11-17   | Desktop | WebViewel | VisShare | VR-Edition | Autom             |
|               | children: lists selected node and all its children nodes #1160                                 |         |           |          |            |                   |
|               | <ul> <li>BOM: new option to remove or keep empty columns<br/>#1169</li> </ul>                  | •       | •         | •        |            | •                 |
| Fixes:        | <ul> <li>SolidEdge import: show pipes correctly #830</li> </ul>                                | •       | •         | •        | •          | •                 |
|               | <ul> <li>SolidEdge import: show frames correctly #646</li> </ul>                               | •       | •         | •        | •          | •                 |
| Version:      | 2023.6.145   |         |           |          |            | Server            |
| Release date: | 2023-10-13   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               |  |         |           |          |            |                   |
| New:          | <ul><li>Import 3D:</li><li>NX 2306</li><li>JT up to 10.9</li></ul>                             | •       | •         | •        | •          | •                 |
|               | <ul><li>Import 2D:</li><li>NX 2306 Series (until 2306.4000)</li></ul>                          | •       | •         | •        |            | •                 |
|               | Curvature analysis: New feature to analyse surfaces  | •       | •         | •        | •          | •                 |
|               | <ul> <li>KAS Monitor: New tool for conversion per directory monitoring</li> </ul>              |         |           |          |            | •                 |
|               | <ul> <li>PLMXML import: option to load 3DVS instead of<br/>referenced JTs #1053</li> </ul>     | •       | •         | •        | •          | •                 |
|               | <ul> <li>2D: option to turn page with mouse wheel</li> </ul>                                   | •       | •         | •        |            |                   |
|               | <ul> <li>2D: option to keep position when turning pages #291</li> </ul>                        | •       | •         | •        |            |                   |
| Fixes:        | <ul> <li>SolidEdge import: Coordinate system visibility and<br/>size #825 #861 #862</li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>SolidEdge import: Simplifications improvements<br/>#808 #864</li> </ul>               | •       | •         | •        | •          | •                 |
|               | <ul> <li>Navisworks import improvements #927 #989</li> </ul>                                   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Improve radius measurements #1046</li> </ul>  | •       | •         | •        | •          | •                 |
|               |  |         |           |          |            |                   |

| Version: Release date: | 2023.6.145<br>2023-10-13   | dc      | iewer     | are      | ition      | Automation Server |
|------------------------|--|---------|-----------|----------|------------|-------------------|
| nereuse date.          | 2023 10 13   | Desktop | WebViewer | VisShare | VR-Edition | Auton             |
|                        | <ul> <li>Improve angle measurements #1072</li> </ul>                           | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Improve display of PMIs with asian characters #908</li> </ul>         | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Improve display of drawings with asian characters<br/>#872</li> </ul> | •       | •         | •        |            | •                 |
|                        | <ul> <li>Improve Copy-Paste behaviour #946 #947</li> </ul>                     | •       |           |          |            |                   |
| Version:               | 2023.5.648   |         |           |          |            | erver             |
| Delegas date:          | 2022 00 00   | Q.      | ewer      | ā        | tion       | Automation Server |
| Release date:          | 2023-09-08   | Desktop | WebViewer | VisShare | VR-Edition | Autom             |
|                        |  |         |           |          |            |                   |
| New:                   | <ul><li>Import 3D:</li><li>USD</li></ul>                                       | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Rework: Floating licensing</li> </ul>                                 | •       | •         | •        | •          | •                 |
|                        | <ul><li>Rework: Wall thickness #140</li></ul>                                  | •       | •         | •        |            | •                 |
|                        | Rework: Band analysis #144 #143  | •       | •         | •        |            | •                 |
|                        | <ul><li>Rework: Aligning #607</li></ul>  | •       | •         | •        | •          | •                 |
|                        |  |         |           |          |            |                   |
| Fixes:                 | <ul> <li>Revit: Problems with displaying of Revit file #920</li> </ul>         | •       | •         | •        | •          | •                 |
|                        | <ul> <li>3DPDF: prevent crash during loading #984</li> </ul>                   | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Neutral axis: optimizations for some cases #986</li> </ul>            | •       | •         | •        |            | •                 |
|                        | <ul> <li>Load DWG/DXF import dlls correctly #931</li> </ul>                    | •       | •         | •        | •          | •                 |
|                        | <ul> <li>DXF export speedup in critical cases #987</li> </ul>                  | •       | •         | •        |            | •                 |
|                        | <ul> <li>2D default export format is not applied #897</li> </ul>               | •       | •         | •        |            | •                 |
|                        | <ul> <li>WebViewer Ribbon for small screens fixed #1035</li> </ul>             |         | •         | •        |            |                   |
|                        |  |         |           |          |            |                   |

| Version:      | 2023.4.217  |         |           |          |            | erver             |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2023-08-09  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               |   |         |           |          |            |                   |
| New:          | <ul><li>Import 3D:</li><li>ACIS 2023</li><li>Creo 10.0</li><li>Navisworks 2024</li></ul>                | •       | •         | •        | •          | •                 |
|               | <ul><li>Import 2D:</li><li>NX 2212 Series (until 2212.7000)</li></ul>                                   | •       | •         | •        |            | •                 |
|               | <ul> <li>NX assembly files load referenced JT files #907<br/>#7110</li> </ul>                           | •       | •         | •        | •          | •                 |
|               | • Selection: all geometries, all PMIs and all markups   | •       | •         | •        | •          | •                 |
|               | <ul> <li>VR: activating views now changes the position #969</li> </ul>                                  |         |           |          | •          |                   |
|               | <ul> <li>XML-API console</li> </ul>   | •       |           |          |            |                   |
| Fixes:        | <ul> <li>Navisworks file loading error #826</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>CATDrawing: wrong font recognized for some<br/>symbols #743</li> </ul>                         | •       | •         | •        |            | •                 |
|               | <ul> <li>Show quick info on hover in structure tree #945</li> </ul>                                     | •       |           |          |            |                   |
|               | <ul> <li>Use correct position while copying focused geometry<br/>to second scene #854</li> </ul>        | •       |           |          |            |                   |
|               | <ul> <li>100 % Ghost shows correct transparency #896</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Activation license: correct maintenance check #941</li> </ul>                                  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Import: ZIP archive was falsely recognized as 3MF<br/>#421</li> </ul>                          | •       | •         | •        | •          | •                 |
| Version:      | 2023.3.149  |         |           |          |            | erver             |
| Dalassa data: | 2022 05 00  | do      | ewer      | ē        | tion       | Automation Server |
| Release date: | 2023-06-09  | Desktop | WebViewer | VisShare | VR-Edition | Autom             |
|               |   |         |           |          |            |                   |
| New:          | <ul> <li>Import 3D:</li> <li>Catia V5_6 R2023</li> <li>Parasolid 35.1</li> <li>Inventor 2024</li> </ul> | •       | •         | •        | •          |                   |

| Version:      | 2023.3.149  |         | ,         |          |            | ı Server          |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2023-06-09  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>DXF export: screen-aligned markups are saved as<br/>text #798</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>Node properties to adjust rotation and scale of<br/>patterned materials #865</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>XML-API: FindAndReplaceString #764</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>XML-API: ConvertVSXMLToNestedSTEP now supports<br/>optional export of node tree structure #661</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>XML-API: Set markup anchor #744</li> </ul>   | •       | •         | •        | •          | •                 |
| Fixes:        | <ul> <li>Reestablished support of older CPUs #877</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>3DVS and VSXML: Floating point format may differ in<br/>XML content if precision can be preservered by<br/>using scientific notation #762</li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>Floating license issue regarding the combined use of<br/>IMPORT_3DVS and IMPORT_All fixed #910</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Parasolid import: show correct node names in<br/>structure tree #906</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>STEP import: show views correctly #595</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>CATIA import: show a part not multiple times #131</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>CATIA import: don't show coordinates systems as<br/>faces #132</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>CATIA import: load R22 files updated with CATIA R32<br/>#781</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Revit import: rfa file loads now correctly #797</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>STEP export: tessellation issue #614</li> </ul>  | •       | •         | •        |            | •                 |
|               | <ul> <li>VSXML import: progress overlay was not removed<br/>#924</li> </ul>   |         | •         | •        |            |                   |
|               | <ul> <li>DXF export: circle recognition algorithm improved<br/>#800</li> </ul>  | •       | •         | •        |            | •                 |
|               | <ul> <li>Some formats could not be converted to FBX #911</li> </ul>   |         |           |          |            | •                 |
|               | <ul> <li>Material rendering repaired after disassembling and<br/>reassembling surfaces #645</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Webviewer usage collector optimised #839</li> </ul>  |         | •         | •        |            |                   |
|               |   |         |           |          |            |                   |

| Version:      | 2023.3.149  |         | _         |          | _          | ın Server         |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2023-06-09  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | • jQuery update #902  |         | •         | •        |            |                   |
| Version:      | 2023.2.146  |         |           |          |            | Server            |
| Release date: | 2023-04-14  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               |   |         |           |          |            |                   |
| New:          | <ul> <li>Import 2D</li> <li>NX 2212 Series until 2212.4000</li> <li>HEIC (as is)</li> <li>Excellon (as is)</li> </ul> | •       | •         | •        |            | •                 |
|               | <ul><li>Exact compare: works now with tessellation #517</li></ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Export views to PDF: new settings to define paper<br/>format and DPI #567</li> </ul>                         | •       | •         | •        |            | •                 |
|               | <ul> <li>Presets: color picker can include user-defined tooltip<br/>#776</li> </ul>                                   | •       |           |          |            |                   |
|               | <ul> <li>XML-API: SaveAsRelative</li> </ul>   |         | •         | •        |            |                   |
| Fixes:        | <ul> <li>CGM: wrong display #667</li> </ul>   | •       | •         | •        |            | •                 |
| Version:      | 2023.1.225  |         |           |          |            | Server            |
| Release date: | 2023-03-28  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               |   |         |           |          |            |                   |
| Fixes:        | <ul><li>Windows Server 2016 startup #789</li></ul>  | •       | •         | •        | •          | •                 |
|               | <ul><li>Print dialogue #785</li></ul>   | •       |           |          |            |                   |
|               | <ul> <li>Change name: Del button deletes node #788</li> </ul>   | •       |           |          |            |                   |
|               | <ul> <li>Structure tree: cut and paste #787</li> </ul>  | •       | •         | •        |            |                   |
|               |   |         |           |          |            |                   |

| Version:      | 2023.1.224   |         | ۵         |          | _          | on Server         |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2023-03-17   | Desktop | WebViewel | VisShare | VR-Edition | Automation Server |
|               |  |         |           |          |            |                   |
| New:          | <ul> <li>Import 3D</li> <li>AVEVA RVM</li> <li>Navisworks 2023</li> <li>NX 2212</li> <li>Parasolid 35.0</li> <li>Solid Edge 2023</li> <li>SolidWorks 2023</li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>SolidEdge import: support of coordinate systems</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>JT export: support of coordinate systems</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>Faster vector export (DXF, SVG)</li> </ul>  | •       | •         | •        |            | •                 |
|               | <ul> <li>Cut of multiple nodes and paste on one of them creates a new node</li> </ul>  | •       | •         | •        |            | •                 |
|               | • Rework: Alignment functions part 1: Render preview   | •       | •         | •        | •          | •                 |
|               | Rework: Attribute CSV import   | •       | •         | •        |            | •                 |
| Fixes:        | <ul> <li>Solid Edge 2022 simplifications #502</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Solid Edge assembly references #754</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Multiple Inventor import issues #582 #584</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>OBJ import: missing triangles #715</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>WRL import: missing geometries #671</li> </ul>  | •       | •         | •        | •          | •                 |
|               | Shut down when double-click in structure tree  | •       |           |          |            |                   |
|               | <ul> <li>API: ConvertDXFVersion not working #724</li> </ul>  | •       | •         | •        |            | •                 |
|               | <ul> <li>Uninstall error</li> </ul>  | •       |           |          | •          |                   |
|               | <ul><li>Deleting of log files #761</li></ul>   |         | •         | •        |            |                   |
|               |  |         |           |          |            |                   |

| Version:      | 2023.0.405  |         | /er       |          | L(         | Automation Server |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2023-02-13  | Desktop | WebViewer | VisShare | VR-Edition | Automati          |
|               |   |         |           |          |            |                   |
| New:          | <ul> <li>IMPORTANT:         <ul> <li>This release includes licensing updates for VisShare. Old licenses will not run with this VisShare.</li> </ul> </li> </ul> |         |           | •        |            |                   |
|               | <ul><li>Import 3D</li><li>Revit 2023</li></ul>  | •       | •         | •        | •          | •                 |
|               | <ul><li>Import 2D</li><li>CATIA V6 R2023x</li><li>Solid Edge 2023</li><li>Solidworks 2023</li></ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>2D DWG/DXF: Font substitution available on import<br/>#503</li> </ul>  | •       | •         | •        |            | •                 |
|               | <ul> <li>Edge length of construction planes can now be defined on import</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Structure tree: edit node names per click #625</li> </ul>  | •       | •         | •        |            |                   |
|               | • Structure tree: new functions to cut, copy and paste  | •       | •         | •        |            |                   |
|               | <ul> <li>KAS: The log file now contains all the information<br/>used during the conversion (path to the used settings<br/>etc.) #639</li> </ul>                 |         |           |          |            | •                 |
|               | <ul> <li>VR: new setting to define color and transparency of<br/>the floor #666</li> </ul>  |         |           |          | •          |                   |
| Fixes:        | <ul> <li>STEP import crashed in rare cases #719</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Creo 4 and 7 assemblies open correctly #248 #463</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Revit: fix box representation of some geometries<br/>#6880</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>DWG: an old version was incorrectly recognized<br/>#623</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>3DPDF recognition improved #718</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>PLMXML reader improved #601</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>VSXML: set correct node type #642</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Some native PMIs had a wrong bounding box and<br/>made the scene huge #632</li> </ul>  | •       | •         | •        | •          |                   |
|               |   |         |           |          |            |                   |

| Version:      | 2023.0.405   |                           |                                       |                |              | Server                       |
|---------------|--|---------------------------|---------------------------------------|----------------|--------------|------------------------------|
| Release date: | 2023-02-13   | Desktop                   | WebViewer                             | VisShare       | VR-Edition   | Automation Server            |
|               | <ul> <li>Improve highlighting of PMI references #603</li> </ul>  | •                         | •                                     | •              | •            |                              |
|               | BOM: Bounding box measurements corrected #681  | •                         | •                                     | •              |              | •                            |
|               | <ul> <li>Correct FitAll in perspective mode #599</li> </ul>  | •                         | •                                     | •              | •            |                              |
|               | <ul> <li>Circles can be measured again after extracting faces<br/>of a solid #532</li> </ul>   | •                         | •                                     | •              | •            | •                            |
|               | <ul> <li>World coordinate systems were created at the wrong<br/>position in rare cases #530</li> </ul>   | •                         | •                                     | •              |              |                              |
|               | <ul> <li>Set section plane handles correctly after activating<br/>views #88</li> </ul>   | •                         | •                                     | •              | •            |                              |
|               | <ul> <li>Show face properties when selecting multiple faces<br/>#627</li> </ul>  | •                         | •                                     | •              | •            |                              |
|               | <ul> <li>Activator success exit code was moved from 1 to 0<br/>#624</li> </ul>   | •                         | •                                     | •              | •            | •                            |
| Version:      | 2022.8.293   |                           |                                       |                |              | erver                        |
|               |  |                           |                                       |                |              | 2 ر                          |
| Release date: | 2022-12-05   | Desktop                   | WebViewer                             | VisShare       | VR-Edition   | Automation Server            |
| Release date: | 2022-12-05   | Desktop                   | WebViewer                             | VisShare       | VR-Edition   | Automation                   |
| Release date: | <ul><li>DXF Export: support of coordinate systems #544</li></ul>   | <ul><li>Desktop</li></ul> | • WebViewer                           | VisShare       | VR-Edition   | <ul><li>Automation</li></ul> |
|               |  | • Desktop                 | WebViewer                             | VisShare       | VR-Edition   | • Automation                 |
|               | <ul> <li>DXF Export: support of coordinate systems #544</li> </ul>   | • Desktop                 | • WebViewer                           | VisShare       | • VR-Edition | • Automation                 |
|               | <ul> <li>DXF Export: support of coordinate systems #544</li> <li>Import attributes from CSV #596</li> </ul>  | • • Desktop               | • • WebViewer                         | • • VisShare   | • VR-Edition | • Automation                 |
|               | <ul> <li>DXF Export: support of coordinate systems #544</li> <li>Import attributes from CSV #596</li> <li>Background color for PMIs #535</li> <li>BOM - new options: Bounding box, gravity center,</li> </ul>  | • Desktop                 | WebViewer                             | VisShare       | • VR-Edition | • Automation                 |
|               | <ul> <li>DXF Export: support of coordinate systems #544</li> <li>Import attributes from CSV #596</li> <li>Background color for PMIs #535</li> <li>BOM - new options: Bounding box, gravity center, structure level #273 #288 #326</li> </ul>   | • • • Desktop             | WebViewer                             | • • VisShare   | • VR-Edition | • Automation                 |
|               | <ul> <li>DXF Export: support of coordinate systems #544</li> <li>Import attributes from CSV #596</li> <li>Background color for PMIs #535</li> <li>BOM - new options: Bounding box, gravity center, structure level #273 #288 #326</li> <li>Show face attributes #329</li> </ul>  | • • • Desktop             | • • • WebViewer                       | • • • VisShare | • VR-Edition | • • Automation               |
|               | <ul> <li>DXF Export: support of coordinate systems #544</li> <li>Import attributes from CSV #596</li> <li>Background color for PMIs #535</li> <li>BOM - new options: Bounding box, gravity center, structure level #273 #288 #326</li> <li>Show face attributes #329</li> </ul>  | • • • Desktop             | • • • WebViewer                       | • • VisShare   | • VR-Edition | • Automation                 |
| New:          | <ul> <li>DXF Export: support of coordinate systems #544</li> <li>Import attributes from CSV #596</li> <li>Background color for PMIs #535</li> <li>BOM - new options: Bounding box, gravity center, structure level #273 #288 #326</li> <li>Show face attributes #329</li> <li>API: Identify node complexity #350</li> </ul>  | • • • Desktop             | • • • WebViewer                       | • • VisShare   | • VR-Edition | • • Automation               |
| New:          | <ul> <li>DXF Export: support of coordinate systems #544</li> <li>Import attributes from CSV #596</li> <li>Background color for PMIs #535</li> <li>BOM - new options: Bounding box, gravity center, structure level #273 #288 #326</li> <li>Show face attributes #329</li> <li>API: Identify node complexity #350</li> <li>Improve import of PDF #576 #589</li> </ul> | • • • Desktop             | • • • • • • • • • • • • • • • • • • • | • • • VisShare | • VR-Edition | • • Automation               |

| Version:      | 2022.8.293  |         |           |          |            | erver             |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-12-05  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | • Fix split scene function #600   | •       | •         | •        |            |                   |
|               | • Fix circle markups in 2D #453   | •       | •         | •        |            | •                 |
|               | <ul> <li>Improve TIF performance after copy/paste #619</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Improve loading of many attributes #618</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>VR: One eyed rendering in some cases</li> </ul>  |         |           |          | •          |                   |
| Version:      | 2022.7.482  |         |           |          |            | Server            |
| Release date: | 2022-11-07  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               |   |         |           |          |            |                   |
| New:          | <ul> <li>IMPORTANT:         <ul> <li>This release contains security updates. We recommend updating to this version as soon as possible.</li> </ul> </li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul><li>Import 2D</li><li>NX 2206</li></ul>   | •       | •         | •        | •          | •                 |
|               | <ul><li>Export 2D</li><li>WMF (raster)</li></ul>  |         |           |          |            |                   |
|               | o WMF (raster)  |         |           |          | •          |                   |
|               | <ul> <li>Activation licensing improved</li> </ul>   | •       | •         |          | •          | •                 |
|               |   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Activation licensing improved</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Activation licensing improved</li> <li>Transform: three points to three points #403</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Activation licensing improved</li> <li>Transform: three points to three points #403</li> <li>Copy/Paste in 2D scenes #218 #224 #489</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Activation licensing improved</li> <li>Transform: three points to three points #403</li> <li>Copy/Paste in 2D scenes #218 #224 #489</li> <li>Improve performance of VSXML import</li> </ul>  |         | •         | •        | •          |                   |
|               | <ul> <li>Activation licensing improved</li> <li>Transform: three points to three points #403</li> <li>Copy/Paste in 2D scenes #218 #224 #489</li> <li>Improve performance of VSXML import</li> <li>Load structure, then reload all nodes #476</li> <li>Setup: New option to generate extensive support information for critical cases (default: on)</li> </ul>  |         |           |          |            |                   |
| Fixes:        | <ul> <li>Activation licensing improved</li> <li>Transform: three points to three points #403</li> <li>Copy/Paste in 2D scenes #218 #224 #489</li> <li>Improve performance of VSXML import</li> <li>Load structure, then reload all nodes #476</li> <li>Setup: New option to generate extensive support information for critical cases (default: on)</li> <li>Show correct wall thickness result in the measurement pane #549</li> </ul> |         |           |          |            |                   |
| Fixes:        | <ul> <li>Activation licensing improved</li> <li>Transform: three points to three points #403</li> <li>Copy/Paste in 2D scenes #218 #224 #489</li> <li>Improve performance of VSXML import</li> <li>Load structure, then reload all nodes #476</li> <li>Setup: New option to generate extensive support information for critical cases (default: on)</li> <li>Show correct wall thickness result in the</li> </ul>                       |         |           |          |            |                   |

| Version:      | 2022.7.482  |         | /er       |          | uc         | Automation Server |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-11-07  | Desktop | WebViewer | VisShare | VR-Edition | Automati          |
|               | ■ Improve Solidworks conversion in rare cases #484  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Improve Navisworks import #516</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Improve Solid Edge DFT import #470 #3675</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Improve SVG export #504</li> </ul>   | •       | •         | •        | •          | •                 |
|               | ■ E57: use correct scale and up-vector  | •       | •         | •        | •          | •                 |
| Version:      | 2022.6.170  |         |           |          |            |                   |
| Release date: | 2022-09-05  |         |           |          |            |                   |
|               |   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> </ul>                            | •       | •         | •        | •          | •                 |
|               | <ul> <li>STEP, IFC and Creo Import: choose codepage to<br/>display node names correctly (available codepages<br/>can be edited in the preset.xml) #405</li> </ul> | •       | •         | •        |            | •                 |
|               | <ul> <li>Rework of node movements in structure tree #188<br/>#189</li> </ul>  | •       |           |          |            |                   |
|               | <ul><li>Structure tree: CSV Export #393</li></ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Structure tree: horizontal scrollbar #472</li> </ul>   | •       |           |          |            |                   |
|               | <ul> <li>Option to turn material rendering off #270</li> </ul>  | •       | •         | •        | •          | •                 |
|               |   |         |           |          |            |                   |
|               | <ul> <li>Animated focus (includes translation, rotation and<br/>ghosting) #440</li> </ul>   | •       |           |          |            |                   |
|               |   | •       | •         | •        |            | •                 |
|               | ghosting) #440  | •       | •         | •        |            | •                 |

| Version:                  | 2022.6.170   |         |           |          |            |                   |
|---------------------------|--|---------|-----------|----------|------------|-------------------|
| Release date:             | 2022-09-05   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| Fixes:                    | <ul> <li>Solidworks format recognition fix #473</li> <li>DXF Export: sometimes showed hidden lines #448</li> <li>DXF Export: circle recognition improved #417</li> <li>Raster images: export and printing fixed #471</li> <li>Improve undercut calculation #271</li> <li>Handle missing materials correctly #386</li> <li>Handle geometries after wire removal and generation correctly #483</li> <li>Structure tree: fix behavior in large trees #472</li> <li>Fix Callout and Fixed Text positioning for printing and 2D raster export #477</li> <li>Skybox: incremental rendering fixed #475</li> <li>XML-API: GenerateAttribute and GenerateCustomIds fixed for special characters #388</li> </ul> | •       | •         | •        | •          | •                 |
| Version:<br>Release date: | 2022-5.199 2022-08-11  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:                      | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> <li>Import 3D         <ul> <li>AutoCAD DWG/DXF #181</li> </ul> </li> </ul>  | •       | A .       |          |            | 4                 |

| Version:      | 2022.5.199   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-08-11   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| Fixes:        | <ul> <li>Creo 9</li> <li>Inventor 2023</li> <li>Parasolid 34.1</li> <li>NX 2206</li> <li>Export 3D</li> <li>XML-API: Convert VSXML to STEP AP214-CC06 Master file (nested external references) #351</li> <li>KAS/API: new command CONVERT_AND_EXECUTE_XML</li> <li>First level of attribute names shown as subcategories</li> <li>Improve 3DVS and VSXML import performance</li> <li>Option to replace the 3D model with a screenshot in templated 3DPDF export</li> <li>Save field of view settings in 3DVS files #274</li> <li>Show attributes correctly #167</li> <li>Improve DXF/SVG export performance</li> <li>DXF measurements wrong #349</li> <li>PDF format recognition improved #458</li> <li>PDF attachment display with unicode characters #416</li> <li>Huge STL files crashed #296 #324</li> <li>STPX, 3DS, 3MF, Collada: Node name in structure reduced from pathname to filename #361</li> <li>Copy text to clipboard: Fix and rework deactivation handling #390</li> <li>Measurement markups: Improve rendering of reference wires #411</li> <li>Coordinate systems: visibility fixed, when they are not near geometry #412</li> <li>Load fonts with unicode filenames correctly on startup #410</li> </ul> |         |           |          |            |                   |
|               |  |         |           |          |            |                   |

| Version:                  | 2022.5.199   |         |           |          |            |                   |
|---------------------------|--|---------|-----------|----------|------------|-------------------|
| Release date:             | 2022-08-11   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|                           | <ul> <li>Correct translation for presets #86</li> <li>Circle markup creation relative to camera #375</li> <li>Error message when loading 2D documents #375</li> <li>Section cut controllers, pickray, menu and floor #375</li> <li>Correct floor shadow in perspective #375</li> </ul>   | •       | •         | •        | •          |                   |
| Version:<br>Release date: | 2022-4.169 2022-07-07  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:                      | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> <li>Import 3D         <ul> <li>Catia V5-6R2022 (R32)</li> </ul> </li> <li>Import 2D         <ul> <li>Creo 9.0</li> <li>NX 2019, 2027</li> </ul> </li> <li>WebViewer: Server health tests added #69</li> <li>WebViewer: Server blocks incoming requests on high load #69</li> <li>Techdoc/BOM: Option to generate ID with only attribute value #129</li> <li>API: Compare two 3D models per URL parameter with Bestfit computation for auto alignment</li> </ul> | •       | •         | •        | •          |                   |

| Version:      | 2022.4.169   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-07-07   |         |           |          |            |                   |
|               |  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               |  |         |           |          |            |                   |
| Fixes:        | <ul> <li>Creo 8 file loads correctly #233</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>NX PRT: handle 2D/3D case correctly #401</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>SLDDRW: correct position of information flags #251</li> </ul>                                 | •       | •         | •        |            | •                 |
|               | <ul><li>UpdateScene rework #161</li></ul>  | •       | •         | •        | •          |                   |
|               | <ul> <li>Improve Split computation time #336</li> </ul>  | •       | •         | •        | •          |                   |
|               | <ul><li>Clash: compute multiple times fix #201</li></ul>   | •       | •         | •        | •          |                   |
|               | • Fix crash in Bestfit computation #368  | •       | •         | •        |            |                   |
|               | <ul> <li>Improve clipping plane handling in flythrough/with<br/>focus #52</li> </ul>                   | •       | •         | •        | •          |                   |
|               | <ul> <li>Fix interactions, if section and markup creation are<br/>both active #92</li> </ul>           | •       | •         | •        | •          |                   |
|               | <ul> <li>Remove undo for configuration view creation #89</li> </ul>                                    | •       | •         | •        |            |                   |
|               | <ul> <li>Wrong world bounding box in rare cases #343</li> </ul>  | •       | •         | •        | •          |                   |
|               | <ul> <li>Websocket closed behavior optimized for clients that<br/>sent connect message #301</li> </ul> |         | •         | •        |            |                   |
|               | <ul> <li>WebViewer: Copy image to clipboard fix #247</li> </ul>  |         | •         | •        |            |                   |
|               | <ul> <li>Structure &amp; output panes are scaled along with<br/>resolution change #230</li> </ul>      | •       |           |          |            |                   |
|               | <ul><li>VR: Skybox fixed #374</li></ul>  |         |           |          | •          |                   |
|               | <ul> <li>VR: Display shadow correctly #340</li> </ul>  |         |           |          | •          |                   |

| Version:      | 2022.3.428   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-05-21   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>Import 3D</li> <li>Autodesk Navisworks 2012 - 2022</li> <li>Autodesk Revit 2022</li> <li>JT 10.6</li> </ul>                   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Best fit: align two nodes to overlap #113</li> </ul>  | •       | •         | •        |            |                   |
|               | <ul> <li>Measure point to point on curve #111</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Transform: circle center to point #204</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Attachment pane for 2D documents #158</li> </ul>  | •       | •         | •        |            |                   |
|               | <ul> <li>Change color of tessellated PMIs on import #78</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Add 7 additional light sources #45</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Table view extended by date and file size #258</li> </ul>   |         |           | •        |            |                   |
| Fixes:        | <ul><li>Fonts for DWG/DXF #122</li></ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>3D PDF crashing in rare cases #305</li> </ul>   | •       | •         | •        | •          | •                 |
|               | OBJ: Improve texture visualisation #277  | •       | •         | •        | •          | •                 |
|               | <ul> <li>HPGL with embedded TIF: correct display #82</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Inventor assembly won't open #5181</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Solidworks: wrong transparencies #6583</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Conversion of Solidworks configurations with special<br/>characters #286</li> </ul>   |         |           |          |            | •                 |
|               | <ul> <li>Correct conversion of limited Solidworks configurations #325</li> </ul>   |         |           |          |            |                   |
|               |  |         |           |          |            |                   |

| Version:      | 2022.3.428   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-05-21   |         |           |          |            |                   |
|               | 2022 05 21   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>Markups: fix CustomID, reference and scale handling<br/>#252 #299 #300</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Crashes with corrupted wires in rare cases #272</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>BOM: copy to clipboard missing information #292</li> </ul>  |         | •         | •        |            |                   |
|               | <ul> <li>Fix anchor for Markups in views #308</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Coordinate system picking highlight #40</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul><li>Improve instantiation #123</li></ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Clash volume color always black #239</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Save mouse settings for 2D correctly #55</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Display VSXML CustomIds correctly #313</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Improve transformations including TechDoc markups<br/>#160</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Setup will check if the OS is compatible before installing</li> </ul>   | •       | •         | •        | •          | •                 |
| Version:      | 2022.2.167   |         |           |          |            |                   |
| Release date: | 2022-04-11   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> <li>Import 3D         <ul> <li>NX 2007</li> </ul> </li> </ul> | •       |           | •        | •          | •                 |

| Version:      | 2022.2.167   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-04-11   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>Solid Edge 2022</li> <li>SolidWorks 2022</li> <li>Import 2D</li> <li>CATIA V5-6R2022 (R32)</li> <li>NX 2007, 2008, 2011, 2015</li> <li>Layer support for 2D documents #180</li> </ul>   | •       | •         | •        | •          | •                 |
| Fixes:        | <ul> <li>JT PMIs: improve visualization #168</li> <li>TIFF: fix loading error #250</li> <li>Undercut fix #271</li> <li>2D compare did not work in rare cases #246</li> <li>Markup import: use CustomIDs correctly #249</li> <li>KAS: fix rare crash during SolidWorks convert #174</li> <li>WV: custom-svg-icons.xml moved to www\custom</li> <li>WV: index.html, version starts with a '.': <script>var _WVVersion =     ".2022.2.167-     3d9e160cb0";</script></li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>WV: svg-icons.xml renamed to match other files versioning style</li> <li>WV: references and loader adjusted</li> </ul>  |         | •         | •        |            |                   |

| Version:      | 2022.1.136   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-03-08   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>New Microsoft Redistributables will be installed during the setup routine. They contain fixes for some OS.</li> </ul> </li> <li>Rework: Shadow rendering #116</li> <li>Copy text from 2D files to clipboard #112</li> <li>Import setting to load PMIs as 'always on top'</li> </ul> | •       | •         | •        | •          | •                 |
| Fixes:        | <ul> <li>Increase possible datasize in 3DVS files #112</li> <li>PMI reference highlighting not displayed in rare cases #184</li> <li>KAS: special character handling added #186</li> <li>Improve logging</li> </ul>  | •       | •         | •        | •          | •                 |
| Version:      | 2022.0.296   |         |           |          |            |                   |
| Release date: | 2022-02-11   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | <ul> <li>IMPORTANT:</li> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul>   | •       | •         | •        | •          |                   |

| Version:      | 2022.0.296   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2022-02-11   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul><li>Import 3D</li><li>Parasolid 34.0</li></ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Import 2D</li> <li>Solid Edge 2022</li> <li>Solidworks 2022 (SP0)</li> <li>NX 1992, 1996, 2000</li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>Customize scene lighting (color/brightness) #138</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul><li>Increase node luminosity #138</li></ul>  | •       | •         | •        |            |                   |
|               | <ul> <li>CATIA: PMI references to solids #50</li> </ul>  | •       | •         | •        | •          |                   |
|               | <ul> <li>Setting to load prototype views #51</li> </ul>  | •       | •         | •        |            |                   |
|               | Setup creates backup of presets.xml  | •       |           |          | •          |                   |
| Fixes:        | <ul> <li>JT to 3DVS: PMI text correctly exported #49 #105</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>E57: loading error when UTF8 characters in filepath<br/>#109</li> </ul>                                   | •       | •         | •        | •          | •                 |
|               | ■ FBX: loading error in rare cases #119  | •       | •         | •        | •          | •                 |
|               | <ul> <li>CATDrawing: won't open #6765</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>CATDrawing: wrong curves #6876</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>DFT: wrong measurement #6912</li> </ul>   | •       | •         | •        |            | •                 |
|               | ■ DFT: won't open #7195  | •       | •         | •        |            | •                 |
|               | <ul> <li>PDF: no background/wrong background color #124<br/>#149</li> </ul>  | •       | •         | •        |            | •                 |
|               | <ul> <li>DXF/SVG Export: lines missing #17 #53</li> </ul>  | •       | •         | •        |            | •                 |
|               | <ul> <li>CGM Export fixed #18</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>Open 3D scene for Office documents</li> </ul>   | •       | •         | •        |            | •                 |
|               |  |         |           |          |            |                   |

| Version:               | 2022.0.296   |         |           |          |            |                   |
|------------------------|--|---------|-----------|----------|------------|-------------------|
| Release date:          | 2022-02-11   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|                        | <ul> <li>Improve volume calculation #47</li> <li>Loading error when UTF8 characters are in filepath #81</li> <li>Transform: Free drag not working #44</li> <li>PMI properties: change font #59</li> <li>Support info zipfile was not created #20</li> <li>XML-API: ImportConfigurationViews fix #39</li> </ul> | •       | •         | •        | •          |                   |
| Version: Release date: | 2021-11-10   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:                   | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> </ul> </li> </ul>   | •       | •         | •        | •          | •                 |
|                        | <ul> <li>Import 3D         <ul> <li>ACIS 2021 1.0</li> </ul> </li> <li>Import 2D         <ul> <li>NX 1980, 1984, 1988</li> <li>2D DWG/DXF: option to load multiple layouts #7020 #2841 #5938 #6557 #6791</li> </ul> </li> </ul>  | •       | •         | •        | •          |                   |
|                        | <ul><li>Calculate Inertia</li><li>TIF: change contrast #7252</li></ul>   | •       |           | •        |            | •                 |

| Version:      | 2021.1.835  |         |           |          |            |                   |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2021-11-10  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| Fixes:        | <ul> <li>FBX Export: Root nodes missing #7122</li> <li>SolidWorks configurations: incorrect display of parts #6953</li> <li>CATIA files could not be opened #7102</li> <li>PLMXML: some files could not be opened #7224</li> <li>Crash of PDFs in rare cases #7187</li> <li>Speed up deletion of views #7089</li> <li>2D text search: Position of highlighting #6804</li> <li>Coloring faces #7029</li> <li>Export convex hull #7046</li> <li>Optimize update view navigation #7211</li> <li>Print of large 2D files #7242</li> <li>Correct filepaths in VSXML export #7199</li> <li>Picking performance #7230</li> <li>Clean up node IDs of markups #7226</li> <li>Fix circle selection for various measurement functions #7120</li> <li>TechDoc callouts: export fix #7173</li> <li>TreePath on root level now unique #7156</li> <li>Minimal bounding box: crash in rare cases #7129</li> <li>Default language after installation #7193</li> <li>XML-API: add SetSelectFaces #7165</li> </ul> |         |           |          |            |                   |
|               |   |         |           |          |            |                   |

| Version:      | 2021.1.835   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2021-11-10   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>XML-API: add GetNodeTransformMatrix #7137</li> </ul>  | •       | •         | •        |            |                   |
|               | <ul> <li>XML-API: get/set camera using wrong position #7124</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>XML-API: setting a CustomId (SetNodeProperties)<br/>resets constraints on child nodes fixed #7170</li> </ul>  | •       | •         | •        |            |                   |
| Version:      | 2021.1.424   |         |           |          |            |                   |
| Release date: | 2021-09-01   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | • IMPORTANT:   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>Updated Microsoft Redistributables are needed (will be installed during the setup routine)</li> </ul> |         |           |          |            |                   |
|               | <ul><li>Import 2D</li><li>TIFF performance increased #7070</li></ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>2D measurements: choose document scale #6787</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Search: PMI, markup, text added #7019</li> </ul>  |         | •         | •        |            |                   |
|               | <ul> <li>Wall thickness heatmap: option to keep preferred<br/>values #6988</li> </ul>  | •       | •         | •        |            |                   |
| Fixes:        | <ul> <li>FBX export: prevent export of deleted geometries<br/>#7086</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>VSXML export: physical properties will be written<br/>#6972</li> </ul>  | •       | •         | •        | •          | •                 |
|               |  |         |           |          |            |                   |

|                           | 2021.1.424   |           |             |            |              |                   |
|---------------------------|--|-----------|-------------|------------|--------------|-------------------|
| Release date:             | 2021-09-01   | Desktop   | WebViewer   | VisShare   | VR-Edition   | Automation Server |
|                           | <ul> <li>Improve visibilities after transformation or rotation #7050</li> <li>Length measurement: prevent crash #7085 #7105</li> <li>Markup text: improve multiline handling #7033</li> <li>Change path for logging to AppData directory #7025</li> <li>VR: improve logging #7009</li> <li>VR: improve screenshots #7010</li> </ul>  | •         | •           | •          | •            |                   |
| Version:<br>Release date: | 2021.1.11<br>2021-08-11  |           |             |            |              |                   |
|                           |  | Desktop   | WebViewer   | VisShare   | VR-Edition   | Automation Server |
| New:                      | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>Updated Microsoft Redistributables are needed (will be installed during the setup routine)</li> </ul> </li> <li>Import 3D         <ul> <li>Inventor 2022</li> </ul> </li> <li>Optional prompt to save when closing a scene #6966</li> <li>References for dimensionings of surfaces and edges</li> </ul> | • Desktop | • WebViewer | • VisShare | • VR-Edition | ⊑                 |

| Version:      | 2021.1.11   |         |           |                 |            |                   |
|---------------|---|---------|-----------|-----------------|------------|-------------------|
| Release date: | 2021-08-11  | Desktop | WebViewer | VisShare        | VR-Edition | Automation Server |
| Fixes:        | <ul> <li>Optimization of visualization of coordinate systems #6922</li> <li>Clash: set transparency of collision pair correctly #6934</li> <li>3DConnexion Controller: handling optimized #7043</li> <li>Solidworks: ASM could not be opened #6865</li> </ul> | •       | •         | •               | •          | •                 |
| Version:      | 2021.0.132  |         |           | ommei<br>Versio |            |                   |
| Release date: | 2021-07-20  | Desktop | WebViewer | VisShare        | VR-Edition | Automation Server |
| New:          | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>New 3DVS format V17. 3DVS files exported with</li> </ul> </li> </ul>   | •       | •         | •               | •          | •                 |

| Version:      | 2021.0.132   |         |           | ommei<br>Versio |            |                   |
|---------------|--|---------|-----------|-----------------|------------|-------------------|
| Release date: | 2021-07-20   |         |           | VEI SIUI        |            |                   |
|               |  |         |           |                 |            | _                 |
|               |  |         | <u>_</u>  |                 | _          | on Serve          |
|               |  | Desktop | WebViewer | VisShare        | VR-Edition | Automation Server |
|               | o NX 1965, 1969, 1973  |         |           |                 |            |                   |
| Fixes:        | <ul> <li>JT: Views were missing in rare cases #6859</li> </ul>   | •       | •         | •               | •          | •                 |
|               | <ul> <li>NX: 3D files show empty 2D document #6964</li> </ul>  | •       | •         | •               |            | •                 |
|               | <ul> <li>CATDrawing issues fixed #6765 #6876</li> </ul>  | •       | •         | •               |            | •                 |
|               | <ul> <li>Solid Edge drawing issues fixed #3154 #4707 #6912</li> </ul>  | •       | •         | •               |            | •                 |
| Version:      | 2021.0.124   |         |           |                 |            |                   |
| Release date: | 2021-07-02   |         |           |                 |            |                   |
|               |  |         |           |                 |            | _                 |
|               |  |         |           |                 |            | Servel            |
|               |  | Desktop | WebViewer | VisShare        | VR-Edition | Automation Server |
|               |  | Desl    | Web       | VisS            | VR-E       | Auto              |
| New:          | • IMPORTANT:   | •       | •         | •               | •          | •                 |
|               | <ul> <li>Network licensing (Floating) requires license server<br/>version 5.0 or higher</li> </ul>   |         |           |                 |            |                   |
|               | <ul> <li>New 3DVS format V17. 3DVS files exported with<br/>this version are not compatible with pre-2021<br/>versions of 3DViewStation</li> </ul>                            |         |           |                 |            |                   |
|               | <ul> <li>New FBX Im-/Exporter</li> <li>Import: all versions</li> <li>Improved load time #6410</li> <li>Export: binary 7.5</li> <li>Export coordinate system #6081</li> </ul> | •       | •         | •               | •          | •                 |
|               | <ul><li>Export correct scaling #5683</li><li>Selection mode: Face</li></ul>  |         |           |                 |            |                   |
|               | Selection mode. Face   | •       |           |                 |            |                   |
|               |  |         |           |                 |            |                   |

| Version:      | 2021.0.124  |         |           |          |            |                   |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2021-07-02  | Desktop | WebViewer | /isShare | VR-Edition | Automation Server |
|               | <ul> <li>Change the color of faces: Add vertex colors #6946</li> </ul>  | •       | •         | •        |            |                   |
|               | <ul> <li>Measurement: Cumulated area #4099</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Measurement: Distance point to face #3379</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Transform: Boundary conditions: X, Y and Z axis<br/>added #5615</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>VSXML: XSD for validation</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>XML-API:         <ul> <li>New method for writing custom log messages to renderer instance log files and feature usage logging</li> <li>Reference to part Nodelds and Customlds added in VSXML for measurement markups</li> <li>Camera Zoom/Pan limits</li> <li>OpenFile extended: Load from URL</li> </ul> </li> </ul> | •       | •         | •        |            |                   |
| Fixes:        | <ul> <li>VSXML import: improve performance #6473 #6976</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul> <li>Parasolid: improve format recognition #6897</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Improve visibility while viewing: remove flickering<br/>#6891</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul><li>Clash computation #6921</li></ul>   |         | •         | •        |            |                   |
|               | <ul> <li>Presets/properties: materials and density consolidated #6608</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Performance of measuring improved #6890</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul> <li>Face highlights during measurement improved<br/>#6417</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul> <li>Circle recognition improved #4519</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul> <li>Setup: added default installation path for silent installation #6913</li> </ul>  | •       | •         | •        | •          | •                 |
|               |   |         |           |          |            |                   |

| Version:      | 2021.0.124  |         |           |          |            |                   |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2021-07-02  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>Setup: use user-defined path #6950</li> <li>Remember user-defined accelerator keys #6915</li> <li>Session sharing: server side rework, spectator client aptimized.</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>optimized</li> <li>IPC fix for interprocess synchronization and communication problem on high server CPU load</li> <li>XML-API: call execution improved #6626</li> </ul>   |         | •         | •        |            |                   |
| Version:      | 2021.0.95   |         |           |          |            |                   |
| Release date: | 2021-05-10  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 5.0 or higher</li> <li>New 3DVS format V17. 3DVS files exported with this version are not compatible with pre-2021 versions of 3DViewStation</li> </ul> </li> </ul> | •       | •         | •        | •          | •                 |
|               | <ul> <li>Import 3D</li> <li>JT 10.5 #6718</li> <li>NX - Unigraphics 1953</li> <li>Parasolid 33</li> <li>Rhino3D 7</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Export 3D</li> <li>GL Transmission Format 2.0 #5566</li> <li>Import 2D</li> <li>CATIA V5-6R2021 (R31)</li> <li>NX: 1953, 1957 and 1961</li> </ul>  | •       |           | •        | •          |                   |

| Vorcion       | 2024 0.05  |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Version:      | 2021.0.95  |         |           |          |            |                   |
| Release date: | 2021-05-10   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | GUI: Bounding box measurement optimized  | •       | •         | •        |            |                   |
|               | 3D-Markups: Multiple references to curves and faces  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Offset lines are now removable (by GUI and API)<br/>#6705</li> </ul>  | •       | •         | •        |            |                   |
|               | <ul> <li>3D-Markups: Variables and attributes can be used<br/>and line breaks can be set comfortably (GUI and API)</li> </ul>                                    |         | •         | •        |            |                   |
|               | <ul> <li>VR: Different controller models can be displayed</li> </ul>   |         |           |          | •          |                   |
|               | Ad hoc session sharing with multiple users   |         | •         | •        |            |                   |
| Fixes:        | ■ Markup export: Node ID & Custom ID added   | •       | •         | •        |            |                   |
|               | <ul> <li>Markup creation stability improved #6600</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>SolidEdge: Position of some lines were not correct<br/>#6345</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul><li>PLMXML: Sequence number added to attributes<br/>#3799</li></ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>XML-API:</li> <li>Fly mode rework #6589 #6770</li> <li>Distance controllable camera alignment in fly mode</li> <li>Align horizon in fly mode</li> </ul> | •       | •         | •        |            |                   |
|               | <ul> <li>Undo function includes node properties</li> </ul>   |         |           |          |            |                   |
|               | <ul><li>2D-DWG: performance improved #6808</li></ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>2D-DWG: PDF export resulted in empty scene in<br/>Adobe Acrobat Reader #6695</li> </ul>   | •       |           |          |            | •                 |
|               | ■ 2D Compare improved #6552 #3436  | •       | •         | •        |            |                   |
|               | 3D-PDF: Stability of PMI handling improved #6522   | •       | •         | •        | •          |                   |
|               |  |         |           |          |            |                   |

| Version:               | 2021.0.95   |           |             |            |              |                   |
|------------------------|---|-----------|-------------|------------|--------------|-------------------|
| Version: Release date: | <ul> <li>2021.0.95</li> <li>2021-05-10</li> <li>Print dialog: Scale setting improved #6595</li> <li>CATIA: Missing PMI text in rare cases #6848</li> <li>CATIA: PMI alignment improved #6768</li> </ul>   | • Desktop | • WebViewer | • VisShare | • VR-Edition | Automation Server |
|                        | <ul> <li>SolidWorks: Structure tree optimized #5918</li> </ul>  | •         | •           | •          | •            | •                 |
|                        | <ul> <li>Stability of drag&amp;drop file import improved #6799</li> </ul>   | •         |             |            |              |                   |
| Version:               | 2021.0.6  |           |             |            |              |                   |
| Release date:          | 2021-02-26  | Desktop   | WebViewer   | VisShare   | VR-Edition   | Automation Server |
| New:                   | <ul> <li>IMPORTANT:         <ul> <li>Network licensing (Floating) requires license server version 4.9.22 or higher</li> <li>New 3DVS format V17. 3DVS files exported with this version are not compatible with older versions of 3DViewStation</li> </ul> </li> </ul>   | •         | •           | •          | •            | •                 |
|                        | <ul> <li>Import 3D         <ul> <li>3D Manufacturing Format (3MF) 1.2.3</li> <li>MineCraft</li> <li>Revit 2021</li> <li>Solid Edge 2021</li> </ul> </li> <li>Export 3D         <ul> <li>3DVS V17</li> <li>MineCraft</li> <li>WaveFront OBJ</li> </ul> </li> <li>Import 2D         <ul> <li>SVG</li> </ul> </li> </ul> | •         | •           | •          | •            | •                 |

| Version:      | 2021.0.6  |         |           |          |            |                   |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2021-02-26  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>2D: Transformations available</li> </ul>                                 | •       | •         | •        |            |                   |
|               | Align camera vertical to a face   | •       | •         | •        |            |                   |
|               | BOM: Configuration of shown attributes  | •       | •         | •        |            |                   |
|               | BOM: Generating of callout ID by attributes                                       | •       | •         | •        |            |                   |
|               | BOM: Physical properties  | •       | •         | •        |            |                   |
|               | Convert dialog: Prefer geometry / prefer tessellation added                       | •       |           |          |            |                   |
|               | Convex hull: Calculation speed improved   | •       | •         | •        | •          |                   |
|               | <ul> <li>Coordinate systems settings added and ribbon menu reorganized</li> </ul> | •       | •         | •        |            |                   |
|               | Create point at intersection of two lines   | •       | •         | •        |            |                   |
|               | <ul><li>Draft: Undercut analysis</li></ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>Export of views overview to PDF</li> </ul>                               | •       | •         | •        |            |                   |
|               | <ul> <li>Import progressbar</li> </ul>  | •       | •         | •        |            |                   |
|               | Markups: User defined attributes  | •       | •         | •        |            |                   |
|               | Measurement: Distance solids to solids  | •       | •         | •        |            |                   |
|               | <ul> <li>Minimal bounding box - Exact: Calculation speed improved</li> </ul>      | •       | •         | •        | •          |                   |
|               | Ribbon: Measurement reorganized   | •       | •         | •        |            |                   |
|               | Section: Create orthogonal to a line  | •       | •         | •        |            |                   |
|               | Section: Cut geometry with geometry colors possible                               | •       | •         | •        |            |                   |
|               | Selection mode: PMI reference   | •       | •         | •        | •          |                   |
|               | <ul> <li>Setup wizard supports update of WebViewer /<br/>VisShare</li> </ul>      |         | •         | •        |            |                   |
|               |   |         |           |          |            |                   |

| Version:      | 2021.0.6  |         |           |          |            |                   |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2021-02-26  |         |           |          |            |                   |
|               |   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>Snap mode for snapping mid- or endpoints of lines<br/>and edges</li> </ul>           | •       | •         | •        | •          |                   |
|               | Statusbar: Cursor coordinates   | •       |           |          |            |                   |
|               | Statusbar: Format version   | •       |           |          |            |                   |
|               | <ul> <li>Support of textures: 3DVS, 3MF, DAE, FBX, GLTF,<br/>OBJ, U3D</li> </ul>              | •       | •         | •        | •          | •                 |
|               | Turntable mode: Settings for detailed configuration   | •       | •         | •        |            |                   |
|               | <ul> <li>Views: Context menu to activate only the camera or<br/>the state of views</li> </ul> | •       | •         | •        |            |                   |
|               | <ul> <li>Views: Import setting to apply ZOOM: FIT ALL to all<br/>views</li> </ul>             | •       | •         | •        |            | •                 |
|               | <ul> <li>VisShare: Mobile UI version for smartphones &amp; tablets</li> </ul>                 |         |           | •        |            |                   |
|               | <ul> <li>VR: Camera rotatable via thumbstick or touchpad of<br/>the controller</li> </ul>     |         |           |          | •          |                   |
|               | <ul> <li>VR: Feedback message boxes</li> </ul>  |         |           |          | •          |                   |
|               | <ul><li>VR: Help menu</li></ul>   |         |           |          | •          |                   |
|               | <ul> <li>VR: New design of Teleport with head height</li> </ul>                               |         |           |          | •          |                   |
|               | <ul> <li>XML-API: New method ExportViewsAsPDF</li> </ul>                                      | •       | •         | •        |            |                   |
|               | <ul> <li>XML-API: New method GetSearchableNodeTypes</li> </ul>                                | •       | •         | •        |            |                   |
|               |   |         |           |          |            |                   |
|               |   |         |           |          |            |                   |
| Fixes:        | <ul><li>2D: Zooming improved #6227</li></ul>  | •       | •         | •        |            |                   |
|               | <ul> <li>CATDrawing: RAM usage optimized #6030</li> </ul>                                     | •       | •         | •        |            | •                 |
|               | <ul> <li>DOC/XLS/PPT couldn't be opened #6519</li> </ul>                                      | •       | •         | •        |            | •                 |
|               |   |         |           |          |            |                   |

| Version:      | 2021.0.6  |         |           |          |            |                   |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2021-02-26  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | • FBX: Import of colors #6092   | •       | •         | •        |            | •                 |
|               | <ul> <li>Improvements of stability when importing models<br/>with many root nodes #6486</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>JT: Import of prototype attributes #6495</li> </ul>  | •       | •         | •        |            | •                 |
|               | • KAS: Generated screenshots of 3DVS files were empty in rare cases #6349   |         |           |          |            | •                 |
|               | <ul> <li>Markups: Improvement of markup creation in<br/>perspective mode with large models #6478</li> </ul>                               | •       | •         | •        |            |                   |
|               | <ul> <li>Minimal bounding box: Improvement of markup alignment #6504</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul> <li>PMI-Highlighting improved #6670</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul> <li>Raster formats: Improvement of scaling and<br/>dimensioning with calibration factor #6479 #6338<br/>#6303 #6434 #6551</li> </ul> | •       | •         | •        |            | •                 |
|               | <ul> <li>Software distribution: VR icon is no longer created<br/>#6511</li> </ul>   | •       |           |          | •          |                   |
|               | <ul> <li>SolidWorks: EPM vault storage supported #6481</li> </ul>   | •       | •         | •        | •          | •                 |
|               | • SVG: Export of section colors and cut geometries #5775  | •       | •         | •        |            | •                 |
|               | <ul> <li>Vertex colors were not correctly applied in views<br/>#6324</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul> <li>Wallthickness heatmap: Improved visualization<br/>#6415</li> </ul>   | •       | •         | •        | •          |                   |
|               | <ul> <li>WebViewer: Sessions in standby can be continued<br/>#6277</li> </ul>   |         | •         | •        |            |                   |
|               |   |         |           |          |            |                   |

| Version:      | 2020.1.410   |         | Reco      | ommer           | nded       |                   |
|---------------|--|---------|-----------|-----------------|------------|-------------------|
|               |  |         | \         | /ersio          | n          |                   |
| Release date: | 2021-01-14   | Desktop | WebViewer | VisShare        | VR-Edition | Automation Server |
| New:          | • IMPORTANT:<br>Network licensing (Floating) requires license<br>server version 4.9.22 or higher   | •       | •         | •               | •          | •                 |
|               | <ul><li>Import 3D</li><li>SolidWorks 2021</li></ul>  | •       | •         | •               | •          | •                 |
|               | <ul> <li>Import 2D</li> <li>CATIA V6 / 3DExperience R2021x</li> <li>NX: 1938, 1942 and 1946</li> <li>Solid Edge 2021</li> <li>SolidWorks 2021</li> </ul> | •       | •         | •               |            | •                 |
| Fixes:        | <ul> <li>Unattended installation: Desktop icons were not<br/>created in some cases #6511</li> </ul>  | •       |           |                 | •          |                   |
|               | <ul> <li>Minimal bounding box: Wrong orientation #6504</li> </ul>  | •       | •         | •               | •          | •                 |
|               | <ul> <li>SolidWorks: EPM vault storage files can't be<br/>opened #6481</li> </ul>  | •       | •         | •               | •          | •                 |
| Version:      | 2020.1.395   |         |           | ommer<br>Versio |            |                   |
| Release date: | 2020-11-20   |         |           |                 |            |                   |
|               |  | Desktop | WebViewer | VisShare        | VR-Edition | Automation Server |
| New:          | • IMPORTANT: Network licensing (Floating) requires license server version 4.9.20 or higher   | •       |           | •               | •          | •                 |
| Fixes:        | Network licensing (Floating): License borrowing  | •       |           |                 |            |                   |

| Version:      | 2020.1.395 | Recommended<br>Version |           |          |            |                   |  |
|---------------|------------|------------------------|-----------|----------|------------|-------------------|--|
| Release date: | 2020-11-20 | Desktop                | WebViewer | VisShare | VR-Edition | Automation Server |  |

for offline use #6405

| Version:      | 2020.1.385   | Recommended<br>Version |           |          |            |                   |
|---------------|--|------------------------|-----------|----------|------------|-------------------|
| Release date: | 2020-10-20   | dı                     | ewer      | ıre      | tion       | Automation Server |
|               |  | Desktop                | WebViewer | VisShare | VR-Edition | Auton             |
| New:          | • IMPORTANT:<br>Network licensing (Floating) requires license<br>server version 4.9.20 or higher   | •                      | •         | •        | •          | •                 |
|               | Minimum system requirements changed  | •                      |           |          |            | •                 |
|               | <ul> <li>NEW SETUP WIZARD:</li> <li>Includes all KISTERS 3DViewStation products</li> <li>Revised comfortable user guidance</li> <li>Optimised sofware distribution for desktop products</li> </ul> | •                      | •         | •        | •          | •                 |
|               | • <b>HELPCENTER</b> : Online knowledge base for end users and administrators. Offline fallback included.   | •                      | •         |          | •          | •                 |
|               | <ul> <li>Import 3D</li> <li>ACIS 2020</li> <li>CATIA V5-2020</li> <li>Creo 7.0</li> <li>JT 10.3</li> <li>Inventor 2021</li> <li>NX 1926</li> </ul>   | •                      |           | •        | •          |                   |
|               | <ul><li>Export 3D</li><li>JT 8.1, 9.5 &amp; 10.0 selectable by dropdown</li></ul>  | •                      | •         | •        |            |                   |

| Version:      | 2020.1.385  |         | Reco      | ommer    | nded       |                   |
|---------------|---|---------|-----------|----------|------------|-------------------|
|               |   |         | '         | /ersio   | n          |                   |
| Release date: | 2020-10-20  |         |           |          |            | _                 |
|               |   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | menu  |         |           |          |            |                   |
|               | <ul> <li>Import 2D</li> <li>CATIA V6 / 3DExperience R2020x</li> <li>ProE / Creo Parametric 7.0</li> <li>NX: 1911, 1915, 1919, 1926, 1930, 1934</li> </ul>                                       | •       | •         | •        |            | •                 |
|               | <ul> <li>VSXML: Performance improvements #5388</li> </ul>   | •       | •         | •        | •          | •                 |
|               | MicroStation .DGN format support discontinued   | •       | •         | •        | •          | •                 |
|               | <ul> <li>DISTANCE AND BAND ANALYSIS TOOL</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>MEASUREMENT OF THE TOTAL / CUMULATED<br/>LENGTH for tool path (laser, CNC, welding)</li> </ul>   | •       | •         | •        |            |                   |
|               | • MEASUREMENT - ANGLE: Line to line (projected)   | •       | •         | •        |            |                   |
|               | • <b>MEASUREMENT - SOLID TO SOLID</b> : Performance improved  | •       | •         | •        | •          |                   |
|               | <ul><li>EXPLODE:</li><li>On selections</li><li>Restriction to certain directions</li></ul>  | •       | •         | •        |            |                   |
|               | <ul> <li>All created views can be automatically generated<br/>into single PNGs or as multi-page PDF including<br/>physical properties</li> <li>KAS method: export views</li> </ul>              | •       | •         | •        |            | •                 |
|               | <ul> <li>Catia: Setting to import only captures (without views) #5700</li> </ul>  | •       | •         | •        | •          | •                 |
|               | Setting to hide the rotation mouse pointer  | •       | •         | •        |            |                   |
|               | <ul><li>2D: Calibration added #5692</li></ul>   |         | •         | •        |            |                   |
|               | <ul> <li>Save as 3DVS-format</li> </ul>   |         |           |          | •          |                   |
|               | <ul> <li>FONT SUBSTITUTION:         <ul> <li>Button in settings pane to open the FontSubstitution.csv</li> <li>The font substitution suggestion is inserted as a comment</li> </ul> </li> </ul> | •       |           |          |            |                   |
|               |   |         |           |          |            |                   |

| Version:      | 2020.1.385  |         |           | ommer<br>/ersior |            |                   |
|---------------|---|---------|-----------|------------------|------------|-------------------|
| Release date: | 2020-10-20  |         |           |                  |            |                   |
|               |   | Desktop | WebViewer | VisShare         | VR-Edition | Automation Server |
|               | <ul> <li>Default substitution font changed from Arial to<br/>MyriadCAD for better support of special<br/>characters and symbols</li> </ul>  | •       | •         | •                | •          | •                 |
|               | <ul> <li>API: IFC Get/SetBCFVisualizationInfo with unit<br/>(default: meter) #6033</li> </ul>   | •       | •         | •                | •          | •                 |
|               | <ul> <li>PMI: Possibility to edit all text fields</li> </ul>  |         | •         | •                |            |                   |
|               | <ul> <li>Color adjustment is possible directly by entering<br/>hexadecimal or RGB values</li> </ul>   | •       | •         | •                |            |                   |
|               | <ul> <li>Optimized OUTPUT window:         <ul> <li>The output window is now managed per scene</li> <li>The new tab "General" contains feedback on network licensing</li> <li>New Setting: Enhanced loading statistics (progress tab)</li> </ul> </li> </ul> | •       |           |                  |            |                   |
|               | <ul> <li>Setting to change the log level</li> </ul>   | •       |           |                  | •          |                   |
|               | <ul> <li>JT: Import setting for (quality) level of tessellation</li> </ul>  | •       | •         | •                |            |                   |
|               | <ul> <li>2D: Enhanced zoom level</li> </ul>   | •       | •         | •                |            |                   |
|               | <ul> <li>PDF: Support of embedded JT files</li> </ul>   | •       |           |                  |            |                   |
| Fixes:        | <ul> <li>Physical Properties: Wrong volume calculation in<br/>native CAD models #6276</li> </ul>  | •       | •         | •                | •          |                   |
|               | <ul> <li>PLMXML / VSXML: Import progress status information #5767</li> </ul>  | •       |           |                  |            |                   |
|               | <ul> <li>SolidWorks SpeedPak: Assembly couldn't be<br/>imported #4950</li> </ul>  | •       | •         | •                | •          | •                 |
|               | <ul> <li>SolidWorks: Improved loading performance<br/>#6261</li> </ul>  | •       | •         | •                | •          | •                 |
|               | <ul> <li>SolidWorks: Assembly didn't load with 'Prefer BREP'</li> </ul>   | •       | •         | •                | •          |                   |
|               |   |         |           |                  |            |                   |

| Version:      | 2020.1.385  |         | Recommended<br>Version |          |            |                   |  |  |
|---------------|---|---------|------------------------|----------|------------|-------------------|--|--|
| Release date: | 2020-10-20  | Desktop | WebViewer              | VisShare | VR-Edition | Automation Server |  |  |
|               | <ul> <li>Structure tree: Vertical scrollbar disappeared<br/>after Drag and Drop #5603</li> </ul>  | •       | •                      | •        | •          | •                 |  |  |
| Version:      | 2020.1.328  |         |                        |          |            |                   |  |  |
| Release date: | 2020-09-11  | Desktop | WebViewer              | VisShare | VR-Edition | Automation Server |  |  |
| New:          | <ul> <li>IMPORTANT:         Network licensing (Floating) requires license server version 4.9.20 or higher.     </li> <li>Minimum system requirements changed.</li> <li>NEW SETUP WIZARD:         <ul> <li>Includes all KISTERS 3DViewStation products.</li> <li>Revised comfortable user guidance.</li> <li>Optimised sofware distribution for desktop products.</li> </ul> </li> <li>HELPCENTER: Online knowledge base for end users and administrators. Offline fallback included.</li> </ul> | •       | •                      | •        | •          | •                 |  |  |
| Fixes:        | <ul> <li>VSXML: Stability improvements #6183</li> <li>EXTRACT FACES: Stability improvements #6218</li> <li>View transition mismatch and initial view issues fixed</li> <li>Missing images after importing views</li> </ul>  | •       |                        | •        | •          |                   |  |  |

| Version:      | 2020.1.328   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2020-09-11   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>View transition ghost state issues fixed</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>API: UpdateScene error handling optimized</li> </ul>  | •       | •         | •        |            |                   |
|               | API: Views play animated transition handling available   | •       | •         | •        |            |                   |
| Version:      | 2020.1.298   |         |           |          |            |                   |
| Release date: | 2020-08-26   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
| New:          | <ul> <li>IMPORTANT:</li> <li>Network licensing (Floating) requires license server version 4.9.20 or higher.</li> <li>Minimum system requirements changed.</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>NEW SETUP WIZARD:         <ul> <li>Includes all KISTERS 3DViewStation products.</li> <li>Revised comfortable user guidance.</li> <li>Optimized software distribution for desktop products.</li> </ul> </li> </ul> | •       | •         | •        | •          | •                 |
|               | • <b>HELPCENTER</b> : Online knowledge base for end users and administrators. Offline fallback included.   | •       | •         |          | •          | •                 |

| Version:      | 2020.1.298  |         |           |          |            |                   |
|---------------|---|---------|-----------|----------|------------|-------------------|
| Release date: | 2020-08-26  | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>Import 3D</li> <li>ACIS 2020</li> <li>CATIA V5-2020</li> <li>Creo 7.0</li> <li>JT 10.3</li> <li>Inventor 2021</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Import 2D</li> <li>CATIA V6 / 3DExperience R2020x</li> <li>ProE / Creo Parametric 7.0</li> <li>NX: 1911, 1915, 1919</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>VSXML: Performance improvements #5388.</li> </ul>  | •       | •         | •        | •          | •                 |
|               | MicroStation .DGN format support discontinued.  | •       | •         | •        | •          | •                 |
|               | BAND ANALYSIS   | •       | •         | •        |            |                   |
|               | • <b>MEASUREMENT - ANGLE</b> : Line to line (projected).  | •       | •         | •        |            |                   |
|               | • <b>MEASUREMENT</b> - <b>SOLID TO SOLID</b> : Performance improved.  | •       | •         | •        | •          |                   |
|               | <ul> <li>EXPLODE:</li> <li>On selections</li> <li>Restriction to certain directions</li> </ul>  | •       | •         | •        |            |                   |
|               | • <b>VIEWS</b> can be conveniently exported as PNGs or, including the physical properties, as PDF.  | •       | •         | •        |            | •                 |
|               | • Catia: Setting to import only the captures (without views) #5700.   | •       | •         | •        | •          | •                 |
|               | <ul> <li>Setting to hide the rotation mouse pointer.</li> </ul>   | •       | •         | •        |            |                   |
|               | 2D: Calibration added #5692.  |         | •         | •        |            |                   |
|               | <ul> <li>Save as 3DVS-format.</li> </ul>  |         |           |          | •          |                   |
|               | <ul> <li>FONT SUBSTITUTION:         <ul> <li>Button in settings pane to open the FontSubstitution.csv.</li> <li>The font substitution suggestion is inserted as a comment.</li> </ul> </li> </ul> | •       |           |          |            |                   |
|               |   |         |           |          |            |                   |

| Version:      | 2020.1.298   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2020-08-26   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | <ul> <li>Default substitution font changed from Arial to<br/>MyriadCAD for better support of special characters and<br/>symbols.</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul> <li>API: IFC Get/SetBCFVisualizationInfo with unit (default:<br/>meter) #6033.</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>API: New focus method - variable transition to show the<br/>area of selected objects.</li> </ul>  | •       | •         | •        | •          | •                 |
|               | <ul><li>PMI: Possibility to edit all text fields.</li></ul>  |         | •         | •        |            |                   |
|               | <ul> <li>Color adjustment is possible directly by entering<br/>hexadecimal or RGB values.</li> </ul>   | •       | •         | •        |            |                   |
|               | <ul> <li>Optimized OUTPUT window:         <ul> <li>The output window is now managed per scene.</li> <li>The new tab "General" contains feedback on network licensing.</li> <li>New Setting: Enhanced loading statistics (progress tab).</li> </ul> </li> </ul> | •       |           |          |            |                   |
|               | Setting to change the log level.   | •       |           |          | •          |                   |
| Fixes:        | • <b>EXTRACT SURFACES:</b> Failed in rare cases #5861, #5647.  | •       | •         | •        |            | •                 |
|               | • <b>GHOST TRANSPARENCY</b> wasn't applied immediately #6050.  | •       | •         | •        | •          | •                 |
|               | • <b>NEIGHBORHOOD SEARCH:</b> Stability improvements #6012.  | •       | •         | •        |            | •                 |
|               | • WALLTHICKNESS HEATMAP: Wrong results with ray method in rare cases #5678.  | •       | •         | •        | •          | •                 |
|               | • <b>CIRCLE DETECTION:</b> Failed in rare cases #5815.   | •       | •         | •        | •          |                   |
|               | <ul> <li>3DVS: Problem when loading very large models in the<br/>Webviewer.</li> </ul>   |         | •         |          |            |                   |
|               | • Creo: Section over more than one structure level #756.   | •       | •         | •        | •          | •                 |
|               | <ul> <li>2D Drawings: Markups were displayed on all pages<br/>#4880.</li> </ul>  | •       | •         | •        |            | •                 |
|               |  |         |           |          |            |                   |

| Version:      | 2020.1.298   |         |           |          |            |                   |
|---------------|--|---------|-----------|----------|------------|-------------------|
| Release date: | 2020-08-26   | Desktop | WebViewer | VisShare | VR-Edition | Automation Server |
|               | • 2D DXF: Missing lines in rare situations #5528 #5645 #5909.  | •       | •         | •        |            | •                 |
|               | <ul><li>2D DXF: Wrong scaling in rare cases #5537.</li></ul>   | •       | •         | •        |            | •                 |
|               | • FBX export: Surfaces sometimes had wrong colors #4537.   | •       | •         | •        | •          | •                 |
|               | ■ IFC: Lines caused an empty scene in rare cases #5901.  | •       | •         | •        | •          | •                 |
|               | <ul> <li>JT: Convert from 3DVS not possible in rare cases<br/>#5176.</li> </ul>                                  | •       | •         | •        |            | •                 |
|               | <ul> <li>NX: Missing attributes in 'No category' #3728.</li> </ul>   | •       | •         | •        |            | •                 |
|               | <ul> <li>STEP: Attributes with \$ characters weren't shown<br/>correctly #5627.</li> </ul>                       | •       | •         | •        |            | •                 |
|               | • STEP: PMIs were transparent #5006.   | •       | •         | •        | •          | •                 |
|               | <ul> <li>SVG export: Node color was ignored when a vertex color<br/>was set #5777.</li> </ul>                    | •       | •         | •        |            | •                 |
|               | <ul> <li>VDA: Stability improvements #5488.</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>API: BCF default visibility fixed #6086.</li> </ul>   | •       | •         | •        | •          | •                 |
|               | <ul> <li>API: UpdateScene / SetSelectedNodes by CustomId<br/>#5963.</li> </ul>                                   | •       | •         | •        | •          | •                 |
|               | <ul> <li>API: Ghost / Constraints GhostLocked - Initial view,<br/>wrong state of ghosted nodes #5963.</li> </ul> | •       | •         | •        | •          | •                 |

| Version:      | 2020.0.40  | Recommended Version |
|---------------|--|---------------------|
| Release date: | 2020-05-12   |                     |
| Fixes:        |  |                     |
|               | <ul> <li>DESIGNS: Missing menu elements #5608</li> <li>PROJECTED AREA: Unit correction if scene unit</li> <li>POINT COORDINATE MEASUREMENT: Considerable system #5749</li> <li>Stability improvements #5804 #5794 #5829</li> </ul> |                     |

| Version:      | 2020.0.29  | Recommended Version |
|---------------|------------|---------------------|
| Release date: | 2020-04-15 |                     |

Fixes:

- **NEIGHBORHOOD SEARCH**: Crash when changing input without selection #5741
- Opening files with double click #5742

Version:2020.0.22Recommended Version

**Release date:** 2020-04-09

New:

- Import 3D
  - o NX 1899
  - o Revit 2020
  - o Parasolid v32.0
- Import 2D
  - o CATIA: V5-6R2020 (R30)
  - o NX: NX 1899, NX 1903, NX 1904, NX 1907
- Update 3DVS format to version 16 (incompatible to 3DViewStation 2019.1 and older)
- SAVE AS contains all 3D & 2D export formats. Additional screenshot export option in menu TOOLS
- Font recognition and replacement for 2D drawings (2D advanced licensed)
- Renaming of FILTER to SEARCH in menu TOOLS
  - Added case sensitivity option #3996
  - o Search for content in PMIs, markups and text
- Clash detection:
  - o Intersection volume
  - Intersection curves
  - Penetration depth
  - o Performance improvement
- NEIGHBORHOOD SEARCH:
  - Linear distance
  - o Box trap
- Status bar with additional information
- MERGE OBJECTS in menu MODEL
- New UI designs (accessible via settings)
- New UI layouts (accessible via settings)
- Update of Microsoft Redistributables
- DropConvert support discontinued
- HiCAD importer support discontinued
- Windows 32-bit support discontinued

# **Enhancements:**

- 2D: Create document background setting #2996
- Color palette can be customized via Presets.xml #5598
- API: Import/Export of BCF Collaboration View #4877
- API: Define initial view from current state #5458

Version:

2020.0.22

Recommended Version

• API: SearchNodes with CustomID #5629

Fixes:

• Gerber: Models were opened as text files #5665
• PLMXML: Empty files when exporting to 3D format #5698
• STEP AP242: Tessellation export issue #4775
• API: Callout projection event issues #5651
• Copy and paste problems of nodes #5543 #5575
• Improved alignment for newly created coordinate systems (normal and circle center) #5455
• Incorrect positioning of instanced parts #5569 #5656
• Lines and markups disappeared when importing another model in a scene #4941

Lines are not displayed correctly #5486 Opening of files with double click #5606

Irregular problems when opening models with many instances #5638
 IP PROTECTION - DELETE INVISIBLE: Issue when computed on faces #5581
 Wrong camera position when a view with active flight mode is activated #5414

**Version:** 2019.1.132

**Release date:** 2020-02-17

**Enhancements:** 

Start up speed of 3DViewStation increased

Fixes:

Hotfix for 2019.1.126: Windows 7 support

Bounding Box Extents #4010

Added setting for volume unit #5385

**Version:** 2019.1.126

**Release date:** 2020-02-11

New:

- Update 3DVS format to version 15 (incompatible to 2019.0 and older)
- New Redistributables 2019 added to the setup. Installation is required.
- NX 1872
- NX Drawings 1892
- Solid Edge 2020
- Solid Edge Drawings 2020
- SolidWorks Drawings 2020
- Font recognition and multiple font substitution for drawings #4752
- Colors for e57 point clouds
- API: 2D callout projection

**Enhancements:** 

**Version:** 2019.1.126

- Added hierarchically merge mode in ribbon Model
- Import setting ignore views by name now considers wildcard (\*)
- Added support for more CATIA attributes types #5312
- Added version number to title bar
- Improve e57 point cloud import #5275
- Support of additional fonts in drawings #2804 #5024
- STEP AP242: Export of markups #5014
- Filter renamed to Search (ribbon Tools)
- Added Search option: Case sensitive #3996
- Added Search option to find content of markups/PMIs
- New options for wire coloring of solids #3371

Fixes:

- Improved display of Solid Edge drawings #2408
- Convert specific CATPart to Parasolid #2669 #4746
- Wrong PDF extents #4403
- 3DXML with many structure levels causes slow import #4435
- STEP AP242 export with tessellation only #4775
- Changing boundary conditions while a transformation tool is active #5078
- 3D-PDF: Export markups #5154
- SVG exports only visible #5177
- API: File open crash #5268
- User folder in hidden network share is supported #5270
- Render materials #5314
- Incorrect placement of dimensions with activated coordinate system #5319
- VSXML: Correct display of markups and callouts #5340
- Save correct scaling of merged objects #5374
- Camera alignment in Flythrough mode #5414
- 3DVS: Load model as saved #5422
- KAS: Conversion fails #5475

**Version:** 2019.1.53

**Release date:** 2019-12-19

**Enhancements:** 

- Added new search options to the neighborhood search:
  - о Вох
  - Linear distance

Fixes:

- Export only visible geometries for vector graphics #5177
- Problems with opening CATIA data fixed #5206
- Instancing of geometries caused issues #5133

Version: 2019.0.721 Recommended Version

**Release date:** 2020-02-17

| Version: | 2019.0.721   | Recommended Version |
|----------|--|---------------------|
| Fixes:   |  |                     |
|          | <ul> <li>Hotfix for 2019.0.720: Windows 7 support</li> </ul> |                     |

| Version:      | 2019.0.720 Recommended Version  |
|---------------|---|
| Release date: | 2020-02-11  |
| New:          | <ul> <li>New Redistributables 2019 added to the setup. Installation is required.</li> <li>NX 1872</li> <li>NX Drawings 1892</li> <li>Solid Edge 2020</li> <li>Solid Edge Drawings 2020</li> <li>SolidWorks Drawings 2020</li> </ul>   |
| Fixes:        | <ul> <li>Improved display of Solid Edge Drawings #2408</li> <li>Convert specific CATPart to Parasolid #2669 #4746</li> <li>3DXML: Many structure levels causes slow import #4435</li> <li>STEP AP242 export with tessellation only #4775</li> <li>SVG exports only visible #5177</li> <li>API: File open crash #5268</li> <li>User folder in hidden network share is supported #5270</li> <li>Incorrect placement of dimensions with activated coordinate system #5319</li> </ul> |

| Version:      | 2019.0.715  | Recommended Version |
|---------------|---|---------------------|
| Release date: | 2019-11-25  |                     |
| Fixes:        |   |                     |
|               | <ul> <li>Instancing of geometries caused issues #5133, #512</li> <li>CATDrawing: Line breaks are ignored #4925</li> </ul> | 1                   |

| Version:      | 2019.0.677 Recommended Version  |
|---------------|---|
| Release date: | 2019-10-16  |
| New:          | <ul> <li>UI change: Add 2D and 3D export buttons (screenshots and exchange formats).</li> <li>Setting for default 3D export format (instead of last used)</li> <li>CATDrawing: R29 (V5-6R2019)</li> </ul> |
|               | <ul> <li>Creo Drawing: 6.0</li> <li>NX Drawing: NX 1872 Series until 1884</li> <li>SolidEdge Drawings 2019</li> </ul>   |

| Version:      | 2019.0.677   | Recommended Version |
|---------------|--|---------------------|
| Enhancements: | <ul> <li>Solidworks Drawings 2019</li> </ul>   |                     |
| Eti           | <ul> <li>Automatic backup of settings before manual reset to</li> </ul>  | defaults            |
| Fixes:        | <ul> <li>3D PDF: Problem with template "Toplevel" #3168</li> <li>CATDrawing: Missing text #3837</li> <li>CATDrawing: Line width correctly rendered #2460</li> <li>CATDrawing: Loading problem #3764</li> <li>CATDrawing: Missing line breaks #4925</li> <li>IFC: Import with instancing #5043</li> <li>SolidWorks &amp; SolidEdge Drawings: Loading problem</li> <li>STEP: Wrong transformation #4774</li> <li>Section: Rendering problems #4947 #4168</li> <li>JT: PMI visibility in views #5013</li> </ul> | #4077               |

| Version:      | 2019.0.609  | Recommended Version |
|---------------|---|---------------------|
| Release date: | 2019-08-27  |                     |
| New:          |   |                     |
|               | <ul><li>Export progressbar</li><li>CATIA V5-6 R2019 (R29)</li></ul>   |                     |
| Enhancements: |   |                     |
|               | <ul> <li>Ribbon layout change without restart of application</li> <li>Wallthickness heatmap: Default preset set to ROLLIN</li> <li>2D: Consideration of line width</li> <li>FBX: Export of colors &amp; transparencies improved</li> <li>Minimal bounding box: quick &amp; precise calculation</li> <li>Performance of VSXML with referenced 3DVS files in</li> </ul>   |                     |
| Fixes:        |   |                     |
|               | <ul> <li>Administrate server button #4613</li> <li>BOM: handling of attributes #4677</li> <li>BOM: Export to CSV when using Japanese &amp; Korean Interpretation of coordinate systems #4704</li> <li>2D: Symbols in fonts #4494</li> <li>2D: File handle not closed #3239</li> <li>2D: SolidWorks &amp; SolidEdge Drawings #4077</li> <li>3DVS: PMIs missing #4783</li> <li>CATDrawing: Viewing problem #3764</li> <li>Standby mode of graphic card #4756</li> </ul> | language #4770      |

Version: 2019.0.529

Release date: 2019-07-12

New:

New option for axis aligned camera control

CREO 6

Inventor 2020

■ NX (v1847)

Parasolid v31.1

#### **Enhancements:**

TechDoc: Ribbon menu improved

TechDoc: Automatic association of renamed callout IDs

Changing the interface design via the settings menu

• Inventor: Support of representations

#### Fixes:

CREO: Import not possible #4622

DWG: Import not possible #3640

• GTL: Imported as text file #4576

• Inventor: False transformation #2270 + #3105

JT 10.3: Import not possible #4602

JT: Missing PMI text #4124

JT: With materials leads to false transparency #4344

NX: Incorrect display of surfaces #3217

NX: Missing faces in exact compare #3860

STEP: Bad representation of letters #3879

BOM based on selection #4358

CATDrawing: Loading from folders with umlauts #4293

Text search with Japanese characters #4324

Licensing: lock-file problem with network licenses #2965

Minimal bounding box with activated coordinate system #4260

Version: 2019.0.420

Release date: 2019-04-25

New:

TechDoc: Text markup with fixed position in viewport

Fixes:

NX files could not be opened #3441 #4189 #3516

GLTF: Transparency wrong #3700

STEP could not be opened #3885

SolidEdge: Wrong attributes #1993

GLB: Could not be opened #3886

KAS license error #2826

No surface area could be calculated from projected areas #3613

Incorrect selection of points #3931

Font substitution does not work #4256

| Version:    | 2019.0.420 |
|-------------|------------|
| V CI SIOII. | 2015.0.120 |

SWX: Import very slow with prefer tessellation #4257

- 3DVS from 2019.0 crashes 2018.0 #4262
- CREO: Tessellation error open shells #4277
- Attributes are not read in correctly #1993
- White background in drawing ensures that font is not visible #2811

**Version:** 2019.0.383

**Release date:** 2019-04-09

**Enhancements:** 

PLMXML-Setting:

interpret all transformations as global transformations

Fixes:

Pickray causes crash #3844

SolidWorks: Transformations wrong #4166

Custom presets.xml suppresses the import dialog #4237

STPX: Transformations wrong #3791

**Version:** 2019.0.340

**Release date:** 2019-03-21

New:

Kisters Automation Server (KAS) can convert to 2D vector files #3699

ActiveX:

o Added: HasCustomRibbonButton

o Added: RemoveCustomRibbonButton

**Enhancements:** 

Added settings to influence CATIA Show/NoShow behavior #3499

Replace Java license monitor tool for floating licenses with a .NET application

Fixes:

• Issue with SingleInstance and file import into open scene #4205

Density presets are not displayed #4025

KAS: Convert drawing to 3DVS/PDF was not possible #3471

Updater reports "No updates" if connection to update server not possible #3538

SolidWorks: Assembly could not be loaded #3950

**Version:** 2019.0.232

**Release date:** 2019-01-31

| Version: | 2019.0.232  |
|----------|---|
| New:     |   |
|          | <ul> <li>Transform: Move from circle center to circle center</li> <li>Importable format: e57</li> </ul> |

- Importable format: e57
- Selection mode: Instance
- STEP: Import-Setting to select NAUO #2487
- Change colors of coordinate system #3933
- Turntable camera control
- Technical documentation (TECHDOC license option required)
- Split solids (ADVANCED\_ANALYSIS license option required)
- Remove/Generate normals
- Change PMIs on import with width-/height factor
- Tutorial update

## **Enhancements:**

- Filter: Setting to include/exclude hidden objects
- Filter: Search of hexadecimal and RGB colors #3777
- Export PNG with transparent background
- Configurable date for PDF templates #3619
- License borrowing dialogue: Features can be borrowed individually
- Improved 2D text search
- Improved representation of floating point values in attributes #3849
- Improved representation of PMIs #3940

# Fixes:

- Improved printing on very large paper sizes #3715
- Solved problem with line breaks in about dialog #3712
- VSXML Import: Colors are inherited correctly #3744
- Solved issue with PLMXML import #3353
- Error messages from updater improved #3583
- Exact compare: colors swapped #3748
- Exact comparison of selections #3934
- 3DVS: Improved accuracy of transformations #3966
- Removing temporary files #3694
- False visibility after use of UNDO #3701
- Change colors of edges #3371
- ActiveX: Fix issue with OnMouseEnter event #3836

| Version:      | 2018.0.365  | Recommended Version |
|---------------|---|---------------------|
| Release date: | <ul> <li>Font replacement #4256</li> <li>NX files could not be opened #3441 #4189</li> <li>SolidEdge: Wrong attributes #1993</li> <li>STEP could not be opened #3885</li> </ul> |                     |
|               |   |                     |

| Version:      | 2018.0.360 | Recommended Version |
|---------------|------------|---------------------|
| Release date: | 2019-02-08 |                     |

| Version: | 2018.0.360  | Recommended Version |
|----------|---|---------------------|
| New:     | <ul> <li>Importer update:</li> <li>JT Import 10.2</li> <li>Parasolid V31</li> <li>Solid Edge 2019</li> <li>SolidWorks 2019</li> <li>3D-PDF-Export: Templates with customizable date for</li> </ul>  | ormat #3619         |
| Fixes:   | <ul> <li>SVG/DXF export of cut geometry fixed #3987</li> <li>NX drawing issues #2702, #3222</li> <li>CATDrawing tables presentation #3469</li> <li>Colors corrected in exact comparison #3748</li> <li>Increased accuracy of transformations #3966</li> <li>Improved undo #3701</li> <li>Reload nodes #3765</li> <li>Export hull geometry / wire recognition #3972</li> </ul> |                     |

| Version:      | 2018.0.350   | Recommended Version        |
|---------------|--|----------------------------|
| Release date: | 2018-12-06   |                            |
| New:          | <ul> <li>New method for ActiveX-Contol: SetKeepAlive</li> <li>Can be used to prevent closing of the 3DView Terminate() is called.</li> </ul> | Station instance e.g. when |
| Enhancements: | <ul><li>Improved Japanese UI translations</li><li>Update of German and English tutorial</li></ul>  |                            |
| Fixes:        | <ul> <li>Crash when printing on very large paper sizes #371</li> <li>Issues with the display of Inventor assemblies solved</li> </ul>        |                            |

| Version:      | 2018.0.342  | Recommended Version |
|---------------|---|---------------------|
| Release date: | 2018-11-13  |                     |
| New:          |   |                     |
|               | <ul> <li>Type floating license only: Update of LicServer<br/>server administration/usage statistics</li> <li>-&gt; current version of floating server software recor</li> </ul> |                     |
| Enhancements: |   |                     |

| Version: | 2018.0.342  | Recommended Version        |
|----------|---|----------------------------|
|          | <ul><li>Improved Japanese UI translations</li><li>Update of German tutorial</li></ul>   |                            |
| Fixes:   |   |                            |
|          | <ul> <li>Automatic recognition of markup fonts</li> <li>Uninstaller removes all installation files</li> <li>Type activation license only: Installation of needed N</li> </ul> | Aicrosoft redistributables |

Version: **Recommended Version** 2018.0.333 Release date: 2018-10-11 New: Import dialog / Import presets Recognition of drill holes Optimize instances - results in file size reduction Save views separate from geometries • Load views independent from i.e. revised geometries Remove edges of geometries, i.e. due to bad quality Re-calculate edges of geometries, i.e. to allow measurements Calculation of neutral axis of piping objects Scale geometry Measure face without need to extract face first Real time wall thickness measurement Skybox creator Wall thickness analysis color gradated, i.e. multi selection Mirroring of geometries with more options **Enhancements:** 

Improved UI translations

Direct page access for multi-page 2D documents

Fixes:

Visualization of background images #3595

Version: 2018.0.319 Release date: 2018-09-18 New: Context menu for each scene tab **Enhancements:** Print dialog is resizable #3363 Fullscreen can be exited via Escape (and F11)

- Solved problem when importing STEP data #3260
- Import dialog: focus issue #3457
- Solved problems with PDF Templates #3424 #3464
- ActiveX: AddContextMenuItem treats passed IDs wrong #3455
- Solved problem with display of diameter symbol #3472
- Solved problem with an old 3DVS file #3534
- Problem with Parasolid NodeNameTemplates solved #3536

**Version:** 2018.0.310

**Release date:** 2018-08-17

New:

- Import dialog: choose between different setting presets, thus leading to different load time and quality
- Inventor 2019 file format support

### **Enhancements:**

- Neutral axis can now also be applied to tessellation and BREP data
- Drill hole improvements
- 2D root nodes now contain the name of the opened 2D file #3385
- Wallthickness Heatmap unit is available #1950
- New export setting to replace original file extension #3300

Fixes:

- 3DPDF: opening the 3D scene on Windows 7 systems #3144
- 3DPDF: containing U3D #3435
- OpenFile via renderer extension #3338
- PLMXML: Colors are displayed incorrectly #3319
- Bounding box world markup positioning issue #3296
- VSXML pathes with umlauts #3332
- DWG file is displayed as a white sheet #3410
- Splashscreen fix #3330
- Compare of multipage documents #3415

**Version:** 2018.0.212

**Release date:** 2018-07-18

New:

- Remove empty nodes
- Print dialog: Print range
- Autorotate document
- Tiled printing
- Convert dialog: IFC and FBX added

| Version:      | 2018.0.212  |
|---------------|---|
|               | <ul><li>Measurement of circle area</li><li>CMD implementation for the quick and exact compare</li></ul>   |
| Enhancements: |   |
|               | <ul> <li>Setup: Teamviewer is now an optional parameter during silent installation (see corresponding documentation)</li> <li>Support for tessellated PMI STEP AP242</li> <li>Selection frame now also works for:         <ul> <li>Wires</li> <li>Curves</li> <li>Points</li> <li>Annotations</li> </ul> </li> <li>Improve ActiveX control</li> </ul> |

| Version:      | 2018.0.95  |
|---------------|--|
| Release date: | 2018-06-07   |
| New:          |  |
|               | <ul> <li>JavaScript support for 3D-PDF export (see corresponding documentation)</li> </ul> |
| Export 3D:    |  |
|               | • IFC  |
| Fixes:        |  |
|               | <ul> <li>ActiveX connection problem</li> </ul>   |

| Version:      | 2018.0.77  |
|---------------|--|
| Release date: | 2018-05-30   |
| Enhancements: |  |
|               | <ul> <li>Menu icon for Readme and File Format List in the help category</li> <li>Menu icon for SkyBoxCreator in the tools area with which skyboxes can be generated</li> </ul> |
| Fixes:        |  |
|               | <ul> <li>CatiaV5 Import Problems #2718</li> </ul>  |
|               |  |

 Version:
 2018.0.57

 Release date:
 2018-05-17

- RGB colors could not be changed #2884
- PDF export generates darker preview images than previous versions #3078